Author and Subject Index
Volume 32, 1992

Vision Research

An International Journal for Functional Aspects of Vision

Section 1
Neurobiology

Section 2
Psychophysics and behavioural physiology

Section 3
Computational vision

PERGAMON PRESS OXFORD • NEW YORK • SEOUL • TOKYO

VISION RESEARCH

Founded by THORNE SHIPLEY

Chairman:

H. Spekreijse

Netherlands Ophthalmic Research Institute and
Laboratory of Medical Physics and Informatics
University of Amsterdam
P.O. Box 12011
1100 AA Amsterdam-Zuidoost
The Netherlands

Vision Research is a journal devoted to the functional aspects of human, vertebrate and invertebrate vision. The journal is sub-divided into three sections each with two section editors.

Section 1: *Neurobiology*
subheadings

- functional morphology and anatomy
- pigments and transduction
- the role of neurotransmitters
- retinal, subcortical and cortical electrophysiology
- physiological optics
- plasticity and regeneration of function

JOHN MAUNSELL, Houston, Tex., U.S.A.
YUTAKA FUKUDA, Osaka, Japan

Section 2: *Psychophysics and Behavioural Physiology*
subheadings:

- binocular, depth, motion, colour, form, pattern, orientation and texture vision
- visuomotor control (including eye movements)
- attentive vision
- adaptation and after-effects

DENNIS M. LEVI, Houston, Tex., U.S.A.
HAN COLLEWIJN, Rotterdam, The Netherlands

Section 3: *Computational Vision*
subheadings:

- models and theory
- visual networks
- computer vision

MICHAEL J. MORGAN, Edinburgh, Scotland
ELLEN C. HILDRETH, Wellesley, Mass., U.S.A.

The Section Editors are assisted by an Editorial Board consisting of:

WILLEM DE GRIP, Nijmegen, The Netherlands
ANITA HENDRICKSON, Seattle, Wash., U.S.A.
ABBIE HUGHES, Victoria, Australia
SIMON LAUGHLIN, Cambridge, England
DAVID NEWSOME, New Orleans, La, U.S.A.
SAMUEL WU, Houston, Tex., U.S.A.

BOB FOX, Nashville, Tenn., U.S.A.
EILEEN KOWLER, New Brunswick, N.J., U.S.A.
JOHN MOLLON, Cambridge, England
CHRISTA NEUMEYER, Mainz, Germany
DAVID REGAN, North York, Canada
DAVIDA TELLER, Seattle, Wash., U.S.A.

JIM BERGEN, Princeton, N.J., U.S.A.
ANDREW BLAKE, Oxford, England
OLIVIER FAUGERAS, Valbonne, France
CHRISTOF KOCH, Pasadena, Calif., U.S.A.
CONCETTA MORRONE, Pisa, Italy
SHIMON ULLMAN, Rehovot, Israel

Publishing Office: Pergamon Press Ltd, Pergamon House, Bampfylde Street, Exeter EX1 2AH, England [*Tel.* Exeter (0392) 51558; *Fax* (0392) 425370].

Subscription and Advertising Offices: Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, England [*Tel.* Oxford (0865) 794141]; Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Subscription Rates: Annual institutional subscription rate (1993): £676 (US$1284). *Vision Research* and the related publications *Clinical Vision Sciences* and *Progress in Retinal Research* are available on a joint subscription of £1030 (US$1957), a saving of £116 (US$220) on the separate subscription prices. Sterling prices are definitive. U.S. dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Prices include postage and insurance and are subject to change without notice.

Second class postage paid at RAHWAY NJ and additional mailing offices. Postmaster send address corrections to *Vision Research*, Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Back Issues: Back issues of all previously published volumes, in both hard copy and microform, are available direct from Pergamon Press offices.

Published monthly with extra issues in January, March, May, July, September and December.

Copyright © 1993 Pergamon Press Ltd

AUTHOR INDEX

ABEL, L.A.
Abel, L.A., Levin, S. and Holzman, P.S. Abnormalities of smooth pursuit and saccadic control in schizophrenia and affective disorders 32: 1009
ABRAHAMSON, E.W.
Deshpande, S., Thompson, M., Parker, J.A. and Abrahamson, E.W. Study of retinal dystrophy in RCS rats: a comparison of Mg-ATP dependent light scattering activity and ERG *b*-wave 32: 425
ADAMS, A.J.
Rabin, J., Adams, A.J. and Switkes, E. Perceptual ambiguity and the short wavelength sensitive visual pathway 32: 399
Rabin, J. and Adams, A.J. Lightness induction in the S-cone pathway 32: 1771
ADELSON, E.H.
Emerson, R.C., Bergen, J.R. and Adelson, E.H. Directionally selective complex cells and the computation of motion energy in cat visual cortex 32: 203
AITSEBAOMO, A.P.
White, J.M., Levi, D.M. and Aitsebaomo, A.P. Spatial localization without visual references 32: 513
Aitsebaomo, A.P. and Bedell, H.E. Psychophysical and saccadic information about direction for briefly presented visual targets 32: 1729
AKRI, V.
Gur, M. and Akri, V. Isoluminant stimuli may not expose the full contribution of color to visual functioning: spatial contrast sensitivity measurements indicate interaction between color and luminance processing 32: 1253
ALBRECHT, D.G.
Geisler, W.S. and Albrecht, D.G. Cortical neurons: isolation of contrast gain control 32: 1409
ALBRIGHT, T.D.
Stoner, G.R. and Albright, T.D. Motion coherency rules are form-cue invariant 32: 465
Chaudhuri, A. and Albright, T.D. Heterochromatic fusion nystagmus: its use in estimating chromatic equiluminance in humans and monkeys 32: 1745
ALEXANDER, K.R.
Peachey, N.S., Arakawa, K., Alexander, K.R. and Marchese, A.L. Rapid and slow changes in the human cone electroretinogram during light and dark adaptation 32: 2049
ALLEN, D.
Allen, D. and Hess, R.F. Is the visual field temporally homogeneous? 32: 1075
Allen, D., Bennett, P.J. and Banks, M.S. The effects of luminance on FPL and VEP acuity in human infants 32: 2005
ALLIK, J.
Allik, J. Competing motion paths in sequence of random dot patterns 32: 157
ANDREADAKI, S.
Tweed, D., Fetter, M., Andreadaki, S., Koenig, E. and Dichgans, J. Three-dimensional properties of human pursuit eye movements 32: 1225
ARAKAWA, K.
Peachey, N.S., Arakawa, K., Alexander, K.R. and Marchese, A.L. Rapid and slow changes in the human cone electroretinogram during light and dark adaptation 32: 2049
ASLIN, R.N.
Skoczenski, A.M. and Aslin, R.N. Spatiotemporal factors in infant position sensitivity: single bar stimuli 32: 1761
ASTELL, S.
Mollon, J.D., Astell, S. and Cavonius, C.R. A reduction in stimulus duration can improve wavelength discriminations mediated by short-wave cones 32: 745

BACH, M.
Bach, M. and Meigen, T. Electrophysiological correlates of texture segregation in the human visual evoked potential 32: 417
Bach, M. and Gerling, J. Retinal and cortical activity in human subjects during color flicker fusion 32: 1219
BACKHAUS, W.
Backhaus, W. The Bezold-Brücke effect in the color vision system of the honeybee 32: 1425
BADCOCK, D.R.
Derrington, A.M. and Badcock, D.R. Two-stage analysis of the motion of 2-dimensional patterns, what is the first stage? 32: 691
Derrington, A.M., Badcock, D.R. and Holroyd, S.A. Analysis of the motion of 2-dimensional patterns: evidence for a second-order process 32: 699
BAINS, R.A.
Bains, R.A., Crawford, J.D., Cadera, W. and Vilis, T. The conjugacy of human saccadic eye movements 32: 1677
BAKER, C.L. JR.
Cameron, E.L., Baker, C.L. Jr. and Boulton, J.C. Spatial frequency selective mechanisms underlying the motion aftereffect 32: 561

BANKS, M.S.
Savage, G.L. and Banks, M.S. Scotopic visual efficiency: constraints by optics, receptor properties, and rod pooling 32: 645
Hartmann, E.E. and Banks, M.S. Temporal contrast sensitivity in human infants 32: 1163
Allen, D., Bennett, P.J. and Banks, M.S. The effects of luminance on FPL and VEP acuity in human infants 32: 2005
BECK, J.
Graham, N., Beck, J. and Sutter, A. Nonlinear processes in spatial-frequency channel models of perceived texture segregation: effects of sign and amount of contrast 32: 719
BEDELL, H.E.
Aitsebaomo, A.P. and Bedell, H.E. Psychophysical and saccadic information about direction for briefly presented visual targets 32: 1729
BEHRENS, F.
Behrens, F. and Weiss, L.-R. An algorithm separating saccadic from nonsaccadic eye movements automatically by use of the acceleration signal 32: 889
BEKKERING, H.
Wertheim, A.H. and Bekkering, H. Motion thresholds of briefly visible stimuli increase asymmetrically with age 32: 2379
BENNER, S.
Stieve, H. and Benner, S. The light-induced rise in cytosolic calcium starts later than the receptor current of the *Limulus* ventral photoreceptor 32: 403
BENNETT, P.J.
Allen, D., Bennett, P.J. and Banks, M.S. The effects of luminance on FPL and VEP acuity in human infants 32: 2005
VAN DEN BERG, A.V.
van den Berg, A.V. Robustness of perception of heading from optic flow 32: 1285
BERGEN, J.R.
Emerson, R.C., Bergen, J.R. and Adelson, E.H. Directionally selective complex cells and the computation of motion energy in cat visual cortex 32: 203
BIRCH, E.E.
Birch, E.E. and Swanson, W.H. Probability summation of acuity in the human infant 32: 1999
BLAKE, R.
Cormack, R., Blake, R. and Hiris, E. Misdirected visual motion in the peripheral visual field 32: 73
Bravo, M.J. and Blake, R. The contributions of figure and ground textures to segmentation 32: 1793
BLATHERWICK, P.
Blatherwick, P. and Hallett, P.E. The discrimination of blur in peripheral coloured borders 32: 1719
BOBIER, W.R.
Bobier, W.R., Campbell, M.C.W. and Hinch, M. The influence of chromatic aberration on the static accommodative response 32: 823
BODIS-WOLLNER, I.
Brannan, J.R., Bodis-Wollner, I. and Storch, R.L. Evidence for two distinct nonlinear components in the human pattern ERG 32: 11
BOMAN, D.K.
Boman, D.K. and Hotson, J.R. Predictive smooth pursuit eye movements near abrupt changes in motion direction 32: 675
BONAVENTURE, N.
Bonaventure, N., Kim, M.S., Jardon, B. and Yücel, H. Pharmacological study of the chicken's monocular optokinetic nystagmus: effects of GABAergic agonist and antagonists 32: 611
Bonaventure, N., Kim, M.S., Jardon, B. and Yücel, H. Pharmacological study of the chicken's monocular optokinetic nystagmus: involvement of the ON retinal channel evidenced by the glutamatergic separation of ON and OFF pathways 32: 601
Jardon, B., Yücel, Y.H. and Bonaventure N. Directional asymmetry of the frog monocular optokinetic nystagmus: cholinergic modulation 32: 541
BONE, R.A.
Bone, R.A., Landrum, J.T. and Cains, A. Optical density spectra of the macular pigment *in vivo* and *in vitro* 32: 105
BOULTON, J.C.
Mullen, K.T. and Boulton, J.C. Absence of smooth motion perception in color vision 32: 483
Cameron, E.L., Baker, C.L. Jr. and Boulton, J.C. Spatial frequency selective mechanisms underlying the motion aftereffect 32: 561
BOWEN, R.W.
Bowen, R.W., Pokorny, J., Smith, V.C. and Fowler, M.A. Sawtooth contrast sensitivity: effects of mean illuminance and low temporal frequencies 32: 1239
BOWMAKER, J.K.
Tovée, M.J., Bowmaker, J.K. and Mollon, J.D. The relationship between cone pigments and behavioural sensitivity in a New World monkey (*Callithrix jacchus jacchus*) 32: 867

BRADLEY, A.
Ye, M., Bradley, A., Thibos, L.N. and Zhang, X. The effect of pupil size on chromostereopsis and chromatic diplopia: interaction between the Stiles-Crawford effect and chromatic aberrations 32: 2121
BRANNAN, J.R.
Brannan, J.R., Bodis-Wollner, I. and Storch, R.L. Evidence for two distinct nonlinear components in the human pattern ERG 32: 11
BRAVO, M.J.
Bravo, M.J. and Blake, R. The contributions of figure and ground textures to segmentation 32: 1793
BROWMAN, H.I.
Browman, H.I. and Hawryshyn, C.W. Thyroxine induces a precocial loss of ultraviolet photosensitivity in rainbow trout (*Oncorhynchus mykiss*, Teleostei) 32: 2303
BUCHANAN-SMITH, H.M.
Heeley, D.W. and Buchanan-Smith, H.M. Directional acuity for drifting plaids 32: 97
BUISSERET, P.
Cremieux, J., Buisseret, P. and Gary-Bobo, E. Experimental evidence that rearing kittens in stroboscopic light retards maturation of the visual cortex: a new tool for studying critical periods 32: 41
BÜLTHOFF, H.H.
Edelman, S. and Bülthoff, H.H. Orientation dependence in the recognition of familiar and novel views of three-dimensional objects 32: 2385
BURBECK, C.A.
Burbeck, C.A. Separation discrimination with embedded targets 32: 2295
BURR, D.C.
Burr, D.C., Morrone, M.C. and Fiorentini, A. Electro-physiological investigation of edge-selective mechanisms of human vision 32: 239
Porciatti, V., Burr, D.C., Morrone, M.C. and Fiorentini, A. The effects of ageing on the pattern electroretinogram and visual evoked potential in humans 32: 1199
BUZNEY, S.M.
Yoshida, A., Kwong, K.K., Chang, C., Karino, K., Iwasaki, T., Buzney, S.M., McMeel, J.W. and Cheng, H.-M. Magnetic resonance microscopy of rabbit eyes 32: 37

CADERA, W.
Bains, R.A., Crawford, J.D., Cadera, W. and Vilis, T. The conjugacy of human saccadic eye movements 32: 1677
Mok, D., Ro, A., Cadera, W., Crawford, J.D. and Vilis, T. Rotation of Listing's plane during vergence 32: 2055
CAINS, A.
Bone, R.A., Landrum, J.T. and Cains, A. Optical density spectra of the macular pigment *in vivo* and *in vitro* 32: 105
CALKINS, D.J.
Calkins, D.J., Thornton, J.E. and Pugh, E.N. Jr. Monochromatism determined at a long-wavelength/middle-wavelength cone-antagonistic locus 32: 2349
CAMERON, E.L.
Cameron, E.L., Baker, C.L. Jr. and Boulton, J.C. Spatial frequency selective mechanisms underlying the motion aftereffect 32: 561
CAMPBELL, M.C.W.
Bobier, W.R., Campbell, M.C.W. and Hinch, M. The influence of chromatic aberration on the static accommodative response 32: 823
CAMPENHAUSEN, C.V.
Campenhausen, C.v., Hofstetter, K., Schramme, J. and Tritsch, M.F. Color induction via non-opponent lateral interactions in the human retina 32: 913
CANOVA, A.
Zaidi, Q., Yoshimi, B., Flanigan, N. and Canova, A. Lateral interactions within color mechanisms in simultaneous induced contrast 32: 1695
CARNEY, T.
Carney, T. and Shadlen, M.N. Binocularity of early motion mechanisms: comments on Georgeson and Shackleton 32: 187
CASSELL, J.F.
Webster, W.R., Day, R.H. and Cassell, J.F. Two movement aftereffects: evidence for luminance- and color-movement pathways 32: 2187
CAVANAGH, P.
Watanabe, T. and Cavanagh, P. Depth capture and transparency of regions bounded by illusory and chromatic contours 32: 527
Shioiri, S. and Cavanagh, P. Visual persistence of figures defined by relative motion 32: 943
CAVONIUS, C.R.
Mollon, J.D., Astell, S. and Cavonius, C.R. A reduction in stimulus duration can improve wavelength discriminations mediated by short-wave cones 32: 745

CHA, K.
Cha, K., Horch, K.W. and Normann, R.A. Mobility performance with a pixelized vision system 32: 1367
CHAN, L.-H.
Chan, L.-H., Freeman, A.W. and Cleland, B.G. The rod-cone shift and its effect on ganglion cells in the cat's retina 32: 2209
CHANG, C.
Yoshida, A., Kwong, K.K., Chang, C., Karino, K., Iwasaki, T., Buzney, S.M., McMeel, J.W. and Cheng, H.-M. Magnetic resonance microscopy of rabbit eyes 32: 37
CHAUDHURI, A.
Chaudhuri, A. and Albright, T.D. Heterochromatic fusion nystagmus: its use in estimating chromatic equiluminance in humans and monkeys 32: 1745
CHENG, H.
Chino, Y.M., Kaas, J.H., Smith, E.L. III, Langston, A.L. and Cheng, H. Rapid reorganization of cortical maps in adult cats following restricted deafferentiation in retina 32: 789
CHENG, H.-M.
Yoshida, A., Kwong, K.K., Chang, C., Karino, K., Iwasaki, T., Buzney, S.M., McMeel, J.W. and Cheng, H.-M. Magnetic resonance microscopy of rabbit eyes 32: 37
CHINO, Y.M.
Chino, Y.M., Kaas, J.H., Smith, E.L. III, Langston, A.L. and Cheng, H. Rapid reorganization of cortical maps in adult cats following restricted deafferentiation in retina 32: 789
CHIRON, A.
Viénot, F. and Chiron, A. Brightness matching and flicker photometric data obtained over the full mesopic range 32: 533
CICERONE, C.M.
Nerger, J.L. and Cicerone, C.M. The ratio of L cones to M cones in the human parafoveal retina 32: 879
CLEARY, R.
Morgan, M.J. and Cleary, R. Effects of contrast substitutions upon motion detection in spatially random patterns 32: 639
Morgan, M.J. and Cleary R. Effects of colour substitutions upon motion detection in spatially random patterns 32: 815
Morgan, M.J. and Cleary, R. Ambiguous motion in a two-frame sequence 32: 2195
CLELAND, B.G.
Chan, L.-H., Freeman, A.W. and Cleland, B.G. The rod-cone shift and its effect on ganglion cells in the cat's retina 32: 2209
COLLEWIJN, H.
Lemij, H.G. and Collewijn, H. Nonconjugate adaptation of human saccades to anisometropic spectacles: meridian-specificity 32: 453
van Rijn, L.J., van der Steen, J. and Collewijn, H. Visually induced cycloversion and cyclovergence 32: 1875
COLLYER, S.
Kingdom, F., Moulden, B. and Collyer, S. A comparison between colour and luminance contrast in a spatial linking task 32: 709
CORMACK, L.K.
Stevenson, S.B., Cormack, L.K., Schor, C.M. and Tyler, C.W. Disparity tuning in mechanisms of human stereopsis 32: 1685
CORMACK, R.
Cormack, R., Blake, R. and Hiris, E. Misdirected visual motion in the peripheral visual field 32: 73
COX, M.J.
Derrington, A.M. and Cox, M.J. Errorless performance in a two-frame apparent motion task using high contrast stimuli, a failure to replicate Cleary (1990) 32: 2191
CRAVEN, B.J.
Craven, B.J. and Foster, D.H. An operational approach to colour constancy 32: 1359
CRAWFORD, J.D.
Bains, R.A., Crawford, J.D., Cadera, W. and Vilis, T. The conjugacy of human saccadic eye movements 32: 1677
Mok, D., Ro, A., Cadera, W., Crawford, J.D. and Vilis, T. Rotation of Listing's plane during vergence 32: 2055
CRAWFORD, T.J.
Crawford, T.J. and Muller, H.J. Spatial and temporal effects of spatial attention on human saccadic eye movements 32: 293
CREMIEUX, J.
Cremieux, J., Buisseret, P. and Gary-Bobo, E. Experimental evidence that rearing kittens in stroboscopic light retards maturation of the visual cortex: a new tool for studying critical periods 32: 41
CRESCITELLI, F.
James, T.W., Crescitelli, F., Loew, E.R. and McFarland, W.N. The eyespot of *Euglena gracilis*: a microspectrophotometric study 32: 1583
Crescitelli, F., James, T.W., Erickson, J.M., Loew, E.R. and McFarland, W.N. The eyespot of *Chlamydomonas reinhardtii*: a comparative microspectrophotometric study 32: 1593

CUNNINGHAM, H.
Pavel, M., Cunningham, H. and Stone, V. Extrapolation of linear motion 32: 2177

DAVIES, M.N.O.
Green, P.R., Davies, M.N.O. and Thorpe, P.H. Head orientation in pigeons during landing flight 32: 2229
DAVIS, E.T.
Yuan, R., Yager, D. and Davis, E.T. Reduction of foveal desensitization with blurred backgrounds 32: 577
DAY, R.H.
Webster, W.R., Day, R.H. and Cassell, J.F. Two movement aftereffects: evidence for luminance- and color-movement pathways 32: 2187
DE VALOIS, K.K.
Kooi, F.L. and De Valois, K.K. The role of color in the motion system 32: 657
DE WEERD, P.
De Weerd, P., Vandenbussche, E. and Orban, G.A. Texture segregation in the cat: a parametric study 32: 305
DERRINGTON, A.M.
Derrington, A.M. and Badcock, D.R. Two-stage analysis of the motion of 2-dimensional patterns, what is the first stage? 32: 691
Derrington, A.M., Badcock, D.R. and Holroyd, S.A. Analysis of the motion of 2-dimensional patterns: evidence for a second-order process 32: 699
Derrington, A.M. and Cox, M.J. Errorless performance in a two-frame apparent motion task using high contrast stimuli, a failure to replicate Cleary (1990) 32: 2191
DESHPANDE, S.
Deshpande, S., Thompson, M., Parker, J.A. and Abrahamson, E.W. Study of retinal dystrophy in RCS rats: a comparison of Mg-ATP dependent light scattering activity and ERG *b*-wave 32: 425
DICHGANS, J.
Tweed, D., Fetter, M., Andreadaki, S., Koenig, E. and Dichgans, J. Three-dimensional properties of human pursuit eye movements 32: 1225
DIZIO, P.
DiZio, P. and Lackner, J.R. Influence of gravitoinertial force level on vestibular and visual velocity storage in yaw and pitch 32: 111
DONG, C.-J.
Dong, C.-J. and McReynolds, J.S. An intensity-dependent biphasic neuron in mudpuppy retina 32: 1405
DONNER, K.
Donner, K. Noise and the absolute thresholds of cone and rod vision 32: 853
Donner, K., Hemilä, S. and Koskelainen, A. On the relation between ERG waves and retinal function: inverted rod photoresponses from the frog retina 32: 1411
DUCHON, A.
Watamaniuk, S.N.J. and Duchon, A. The human visual system averages speed information 32: 931

EASTMAN, K.
Hock, H.S., Eastman, K., Field, L. and Stutin, C. The effects of common movement and spatial separation on position- and motion-based judgments of relative movement 32: 1043
EBENHOLTZ, S.M.
Ebenholtz, S.M. Accommodative hysteresis as a function of target-dark focus separation 32: 925
EDELMAN, S.
Edelman, S. and Bülthoff, H.H. Orientation dependence in the recognition of familiar and novel views of three-dimensional objects 32: 2385
EISNER, A.
Eisner, A. Losses of flicker sensitivity during dark adaptation: effects of test size and wavelength 32: 1975
EJIMA, Y.
Nishida, S., Ohtani, Y. and Ejima, Y. Inhibitory interaction in a split/fusion apparent motion: lack of spatial-frequency selectivity 32: 1523
Takahashi, S., Kaihara, T., Takemoto, A., Ido, K. and Ejima, Y. Spectral sensitivities for illusory contour perception: a manifold linkage of chromatic and achromatic cues with the generation of contours 32: 1709
EMERSON, R.C.
Emerson, R.C., Bergen, J.R. and Adelson, E.H. Directionally selective complex cells and the computation of motion energy in cat visual cortex 32: 203
ENRIGHT, J.T.
Enright, J.T. The remarkable saccades of asymmetrical vergence 32: 2261
ERICKSON, J.M.
Crescitelli, F., James, T.W., Erickson, J.M., Loew, E.R. and McFarland, W.N. The eyespot of *Chlamydomonas reinhardtii*: a comparative microspectrophotometric study 32: 1593

ESKEW, R.T. JR.
Stromeyer, C.F. III, Lee, J. and Eskew, R.T. Jr. Peripheral chromatic sensitivity for flashes: a post-receptoral red-green asymmetry 32: 1865

FAHLE, M.
Fahle, M. and Harris, J.P. Visual memory for vernier offsets 32: 1033
Zanker, J., Mohn, G., Weber, U., Zeitler-Driess, K. and Fahle, M. The development of Vernier acuity in human infants 32: 1557
FAIRCHILD, M.D.
Fairchild, M.D. and Lennie, P. Chromatic adaptation to natural and incandescent illuminants 32: 2077
FENDICK, M.G.
Goldstein, H.P., Gottlob, I. and Fendick, M.G. Visual remapping in infantile nystagmus 32: 1115
FETTER, M.
Tweed, D., Fetter, M., Andreadaki, S., Koenig, E. and Dichgans, J. Three-dimensional properties of human pursuit eye movements 32: 1225
FIELD, L.
Hock, H.S., Eastman, K., Field, L. and Stutin, C. The effects of common movement and spatial separation on position- and motion-based judgments of relative movement 32: 1043
FIORENTINI, A.
Burr, D.C., Morrone, M.C. and Fiorentini, A. Electro-physiological investigation of edge-selective mechanisms of human vision 32: 239
Porciatti, V., Burr, D.C., Morrone, M.C. and Fiorentini, A. The effects of ageing on the pattern electroretinogram and visual evoked potential in humans 32: 1199
Fiorentini, A. and Trimarchi, C. Development of temporal properties of pattern electroretinogram and visual evoked potentials in infants 32: 1609
FLANIGAN, N.
Zaidi, Q., Yoshimi, B., Flanigan, N. and Canova, A. Lateral interactions within color mechanisms in simultaneous induced contrast 32: 1695
FOSTER, D.H.
Craven, B.J. and Foster, D.H. An operational approach to colour constancy 32: 1359
FOSTER, R.G.
Provencio, I., Loew, E.R. and Foster, R.G. Vitamin A_2-based visual pigments in fully terrestrial vertebrates 32: 2201
FOWLER, M.A.
Bowen, R.W., Pokorny, J., Smith, V.C. and Fowler, M.A. Sawtooth contrast sensitivity: effects of mean illuminance and low temporal frequencies 32: 1239
FOX, D.A.
Fox, D.A. and Katz, L.M. Developmental lead exposure selectively alters the scotopic ERG component of dark and light adaptation and increases rod calcium content 32: 249
FRANSSILA, R.
Rovamo, J., Franssila, R. and Näsänen, R. Contrast sensitivity as a function of spatial frequency, viewing distance and eccentricity with and without spatial noise 32: 631
FREEMAN, A.W.
Chan, L.-H., Freeman, A.W. and Cleland, B.G. The rod-cone shift and its effect on ganglion cells in the cat's retina 32: 2209
FREEMAN, T.
Freeman, T.C.A. and Harris, M.G. Human sensitivity to expanding and rotating motion: effects of complementary masking and directional structure 32: 81
Harris, M., Freeman, T. and Hughes, J. Retinal speed gradients and the perception of surface slant 32: 587
FRIEDEMANN, S.
Friedemann, S. The phase of PVEP in Maxwellian view: influence of contrast, spatial and temporal frequency 32: 591
FULTON, A.B.
Hansen, R.M., Hamer, R.D. and Fulton, A.B. The effect of light adaptation on scotopic spatial summation in 10-week-old infants 32: 387

GALVIN, S.J.
Galvin, S.J. and Williams, D.R. No aliasing at edges in normal viewing 32: 2251
GARCÍA-SANCHEZ, J.
Triviño, A., Ramírez, J.M., Ramírez, A.I., Salazar, J.J. and García-Sanchez, J. Retinal perivasclar astroglia: an immunoperoxidase study 32: 1601
GARY-BOBO, E.
Cremieux, J., Buisseret, P. and Gary-Bobo, E. Experimental evidence that rearing kittens in stroboscopic light retards maturation of the visual cortex: a new tool for studying critical periods 32: 41

GASKA, J.P.
Liu, Z., Gaska, J.P., Jacobson, L.D. and Pollen, D.A. Interneuronal interaction between members of quadrature phase and anti-phase pairs in the cat's visual cortex 32: 1193
GEGENFURTNER, K.
Krauskopf, J. and Gegenfurtner, K. Color discrimination and adaptation 32: 2165
GEISLER, W.S.
Geisler, W.S. and Albrecht, D.G. Cortical neurons: isolation of contrast gain control 32: 1409
GEORGESON, M.A.
Georgeson, M.A. and Shackleton, T.M. No evidence for dichoptic motion sensing: a reply to Carney and Shadlen 32: 193
Greenlee, M.W., Georgeson, M.A., Magnussen, S. and Harris, J.P. The decay of adaptation to spatial contrast: a response to David Rose 32: 1785
GERLING, J.
Bach, M. and Gerling, J. Retinal and cortical activity in human subjects during color flicker fusion 32: 1219
GILLE, J.
Piantanida, T.P. and Gille, J. Methodology-specific Rayleigh-match distributions 32: 2375
GILMARTIN, B.
Phillips, N.J., Winn, B. and Gilmartin, B. Absence of pupil response to blur-driven accommodation 32: 1775
GLASER, D.A.
Kumar, T. and Glaser, D.A. Shape analysis and stereopsis for human depth perception 32: 499
Kumar, T. and Glaser, D.A. Depth discrimination of a line is improved by adding other nearby lines 32: 1667
GOLDSTEIN, H.P.
Goldstein, H.P., Gottlob, I. and Fendick, M.G. Visual remapping in infantile nystagmus 32: 1115
GOODALE, M.A.
Servos, P., Goodale, M.A. and Jakobson, L.S. The role of binocular vision in prehension: a kinematic analysis 32: 1513
GORGELS, T.G.M.F.
Gorgels, T.G.M.F. and van Norren, D. Spectral transmittance of the rat lens 32: 1509
GOTTLOB, I.
Goldstein, H.P., Gottlob, I. and Fendick, M.G. Visual remapping in infantile nystagmus 32: 1115
GOVARDOVSKII, V.I.
Govardovskii, V.I., Röhlich, P., Szél, A. and Khokhlova, T.V. Cones in the retina of the Mongolian gerbil, *Meriones unguiculatus*: an immunocytochemical and electrophysiological study 32: 19
GRAHAM, N.
Graham, N., Beck, J. and Sutter, A. Nonlinear processes in spatial-frequency channel models of perceived texture segregation: effects of sign and amount of contrast 32: 719
Graham, N. and Hood, D.C. Quantal noise and decision rules in dynamic models of light adaptation 32: 779
Graham, N. and Hood, D.C. Modeling the dynamics of light adaptation: the merging of two traditions 32: 1373
GREEN, P.R.
Green, P.R., Davies, M.N.O. and Thorpe, P.H. Head orientation in pigeons during landing flight 32: 2229
GREENE, E.
Shors, T.J., Wright, K. and Greene, E. Control of interocular suppression as a function of differential image blur 32: 1169
GREENLEE, M.W.
Greenlee, M.W. Spatial frequency discrimination of band-limited periodic targets: effects of stimulus contrast, bandwidth and retinal eccentricity 32: 275
Greenlee, M.W., Georgeson, M.A., Magnussen, S. and Harris, J.P. The decay of adaptation to spatial contrast: a response to David Rose 32: 1785
GREENSTEIN, V.
Seiple, W., Holopigian, K., Greenstein, V. and Hood, D.C. Temporal frequency dependent adaptation at the level of the outer retina in humans 32: 2043
GRIEBEL, U.
Griebel, U. and Schmid, A. Color vision in the California sea lion (*Zalophus californianus*) 32: 477
VAN DE GRIND, W.A.
Lankheet, M.J.M., Prickaerts, J.H.H.J. and van de Grind, W.A. Responses of cat horizontal cells to sinusoidal gratings 32: 997
GRISWOLD, M.S.
Griswold, M.S. and Stark, W.S. Scotopic spectral sensitivity of phakic and aphakic observers extending into the near ultraviolet 32: 1739
GUILOFF, G.D.
Guiloff, G.D. and Kolb, H. Neurons immunoreactive to choline acetyltransferase in the turtle retina 32: 2023
GUR, M.
Gur, M. and Akri, V. Isoluminant stimuli may not expose the full contribution of color to visual functioning: spatial contrast sensitivity measurements indicate interaction between color and luminance processing 32: 1253

GURNEY, K.N.
Wright, M.J. and Gurney, K.N. Lower threshold of motion for one and two dimensional patterns in central and peripheral vision 32: 121

HALLETT, P.E.
Blatherwick, P. and Hallett, P.E. The discrimination of blur in peripheral coloured borders 32: 1719
Hallett, P.E. Segregation of mesh-derived textures evaluated by resistance to added disorder 32: 1899
HAMANAKA, T.
Kito, Y., Partridge, J.C., Seidou, M., Narita, K., Hamanaka, T., Michinomae, M., Sekiya, N. and Yoshihara, K. The absorbance spectrum and photosensitivity of a new synthetic "visual pigment" based on 4-hydroxyretinal 32: 3
HAMER, R.D.
Hansen, R.M., Hamer, R.D. and Fulton, A.B. The effect of light adaptation on scotopic spatial summation in 10-week-old infants 32: 387
HAMMETT, S.T.
Hammett, S.T. and Smith, A.T. Two temporal channels or three? A re-evaluation 32: 285
HAMSTRA, S.J.
Regan, D. and Hamstra, S.J. Dissociation of orientation discrimination from form detection for motion-defined bars and luminance-defined bars: effects of dot lifetime and presentation duration 32: 1655
Regan, D. and Hamstra, S.J. Shape discrimination and the judgement of perfect symmetry: dissociation of shape from size 32: 1845
HANSEN, R.M.
Hansen, R.M., Hamer, R.D. and Fulton, A.B. The effect of light adaptation on scotopic spatial summation in 10-week-old infants 32: 387
HARRAD, R.A.
Harrad, R.A. and Hess, R.F. Binocular integration of contrast information in amblyopia 32: 2135
HARRIS, J.P.
Fahle, M. and Harris, J.P. Visual memory for vernier offsets 32: 1033
Greenlee, M.W., Georgeson, M.A., Magnussen, S. and Harris, J.P. The decay of adaptation to spatial contrast: a response to David Rose 32: 1785
HARRIS, M.
Freeman, T.C.A. and Harris, M.G. Human sensitivity to expanding and rotating motion: effects of complementary masking and directional structure 32: 81
Harris, M., Freeman, T. and Hughes, J. Retinal speed gradients and the perception of surface slant 32: 587
HARTMANN, E.E.
Hartmann, E.E. and Banks, M.S. Temporal contrast sensitivity in human infants 32: 1163
HASLWANTER, T.
Straumann, D., Suzuki, M., Henn, V., Hess, B.J.M. and Haslwanter, T. Visual suppression of torsional vestibular nystagmus in rhesus monkeys 32: 1067
Haslwanter, Th., Straumann, D., Hess, B.J.M. and Henn, V. Static roll and pitch in the monkey: shift and rotation of Listing's plane 32: 1341
HAUSTEIN, W.
Haustein, W. Head-centric visual localization with lateral body tilt 32: 669
HAWRYSHYN, C.W.
Browman, H.I. and Hawryshyn, C.W. Thyroxine induces a precocial loss of ultraviolet photosensitivity in rainbow trout (*Oncorhynchus mykiss*, Teleostei) 32: 2303
HAYHOE, M.M.
Hayhoe, M.M., Levin, M.E. and Koshel, R.J. Subtractive processes in light adaptation 32: 323
HE, P.
He, P. and Kowler, E. The role of saccades in the perception of texture patterns 32: 2151
HEELEY, D.W.
Heeley, D.W. and Buchanan-Smith, H.M. Directional acuity for drifting plaids 32: 97
HEGGELUND, P.
Heggelund, P. A bidimensional theory of achromatic color vision 32: 2107
HEINEN, S.J.
Heinen, S.J. and Skavenski, A.A. Adaptation of saccades and fixation to bilateral foveal lesions in adult monkey 32: 365
HEITGER, F.
Heitger, F., Rosenthaler, L., von der Heydt, R., Peterhans, E. and Kübler, O. Simulation of neural contour mechanisms: from simple to end-stopped cells 32: 963
HEMILÄ, S.
Donner, K., Hemilä, S. and Koskelainen, A. On the relation between ERG waves and retinal function: inverted rod photoresponses from the frog retina 32: 1411

HENN, V.
Straumann, D., Suzuki, M., Henn, V., Hess, B.J.M. and Haslwanter, T. Visual suppression of torsional vestibular nystagmus in rhesus monkeys 32: 1067
Haslwanter, Th., Straumann, D., Hess, B.J.M. and Henn, V. Static roll and pitch in the monkey: shift and rotation of Listing's plane 32: 1341
HEPP, K.
Hess, B.J.M., Van Opstal, A.J., Straumann, D. and Hepp, K. Calibration of three-dimensional eye position using search coil signals in the rhesus monkey 32: 1647
HESS, B.J.M.
Straumann, D., Suzuki, M., Henn, V., Hess, B.J.M. and Haslwanter, T. Visual suppression of torsional vestibular nystagmus in rhesus monkeys 32: 1067
Haslwanter, Th., Straumann, D., Hess, B.J.M. and Henn, V. Static roll and pitch in the monkey: shift and rotation of Listing's plane 32: 1341
Hess, B.J.M., Van Opstal, A.J., Straumann, D. and Hepp, K. Calibration of three-dimensional eye position using search coil signals in the rhesus monkey 32: 1647
HESS, R.F.
Hess, R.F. and Snowden, R.J. Temporal properties of human visual filters: number, shapes and spatial covariation 32: 47
Snowden, R.J. and Hess, R.F. Temporal frequency filters in the human peripheral visual field 32: 61
Allen, D. and Hess, R.F. Is the visual field temporally homogeneous? 32: 1075
Hess, R.F. and Holliday, I.E. The coding of spatial position by the human visual system: effects of spatial scale and contrast 32: 1085
Hess, R.F. and Holliday, I.E. The spatial localization deficit in amblyopia 32: 1319
Harrad, R.A. and Hess, R.F. Binocular integration of contrast information in amblyopia 32: 2135
VON DER HEYDT, R.
Heitger, F., Rosenthaler, L., von der Heydt, R., Peterhans, E. and Kübler, O. Simulation of neural contour mechanisms: from simple to end-stopped cells 32: 963
HIBINO, H.
Hibino, H. Red-green and yellow-blue opponent-color responses as a function of retinal eccentricity 32: 1955
HILDRETH, E.C.
Hildreth, E.C. Recovering heading for visually-guided navigation 32: 1177
HINCH, M.
Bobier, W.R., Campbell, M.C.W. and Hinch, M. The influence of chromatic aberration on the static accommodative response 32: 823
HIRIS, E.
Cornack, R., Blake, R. and Hiris, E. Misdirected visual motion in the peripheral visual field 32: 73
HIROSE, T.
Tetsuka, H., Katsumi, O., Morandi, A.J., Tetsuka, S., Wang, G.-J. and Hirose, T. Effect of light scatter on the pattern reversal visual evoked response: comparison with psychophysical results 32: 1211
HIRSCH, J.
Hirsch, J. and Mjolsness, E. A center-of-mass computation describes the precision of random dot displacement discrimination 32: 335
HOCK, H.S.
Hock, H.S., Eastman, K., Field, L. and Stutin, C. The effects of common movement and spatial separation on position- and motion-based judgments of relative movement 32: 1043
HODOS, W.
Kurkjian, M.L. and Hodos, W. Age-dependent intensity-difference thresholds in pigeons 32: 1249
HOFSTETTER, K.
Campenhausen, C.v., Hofstetter, K., Schramme, J. and Tritsch, M.F. Color induction via non-opponent lateral interactions in the human retina 32: 913
HOHNSBEIN, J.
Hohnsbein, J. and Mateeff, S. The relation between the velocity of visual motion and the reaction time to motion onset and offset 32: 1789
HOLLIDAY, I.E.
Hess, R.F. and Holliday, I.E. The coding of spatial position by the human visual system: effects of spatial scale and contrast 32: 1085
Hess, R.F. and Holliday, I.E. The spatial localization deficit in amblyopia 32: 1319
Shevell, S.K., Holliday, I. and Whittle, P. Two separate neural mechanisms of brightness induction 32: 2331
HOLOPIGIAN, K.
Seiple, W., Holopigian, K., Greenstein, V. and Hood, D.C. Temporal frequency dependent adaptation at the level of the outer retina in humans 32: 2043
HOLROYD, S.A.
Derrington, A.M., Badcock, D.R. and Holroyd, S.A. Analysis of the motion of 2-dimensional patterns: evidence for a second-order process 32: 699

HOLZMAN, P.S.
Abel, L.A., Levin, S. and Holzman, P.S. Abnormalities of smooth pursuit and saccadic control in schizophrenia and affective disorders 32: 1009
HONDA, Y.
Kiryu, J., Yamamoto, F. and Honda, Y. Effects of sodium iodate on the electroretinogram *c*-wave in the cat 32: 2221
HOOD, D.C.
Graham, N. and Hood, D.C. Quantal noise and decision rules in dynamic models of light adaptation 32: 779
Zaidi, Q., Shapiro, A. and Hood D. The effect of adaptation on the differential sensitivity of the *S*-cone color system 32: 1297
Graham, N. and Hood, D.C. Modeling the dynamics of light adaptation: the merging of two traditions 32: 1373
Seiple, W., Holopigian, K., Greenstein, V. and Hood, D.C. Temporal frequency dependent adaptation at the level of the outer retina in humans 32: 2043
HORCH, K.W.
Cha, K., Horch, K.W. and Normann, R.A. Mobility performance with a pixelized vision system 32: 1367
HOTSON, J.R.
Boman, D.K. and Hotson, J.R. Predictive smooth pursuit eye movements near abrupt changes in motion direction 32: 675
HOWLAND, H.C.
Mutti, D.O., Zadnik, K., Johnson, C.A., Howland, H.C. and Murphy, C.J. Retinoscopic measurement of the refractive state of the rat 32: 583
Howland, H.C., Murphy, C.J. and McCosker, J.E. Detection of eyeshine by flashlight fishes of the family Anomalopidae 32: 765
Murphy, C.J., Kern, T.J. and Howland, H.C. Refractive state, corneal curvature, accommodative range and ocular anatomy of the Asian elephant (*Elephas maximus*) 32: 2013
HUGHES, J.
Harris, M., Freeman, T. and Hughes, J. Retinal speed gradients and the perception of surface slant 32: 587
HUMANSKI, R.A.
Humanski, R.A. and Wilson, H.R. Spatial frequency mechanisms with Short-Wavelength-Sensitive cone inputs 32: 549
HUSSAIN, A.A.
Hussain, A.A., Willmott, N.J. and Voaden, M.J. Cyclic GMP, calcium and photoreceptor sensitivity in mice heterozygous for the rod dysplasia gene designated "rd" 32: 29
Hussain, A.A., Willmott, N.J. and Voaden, M.J. Species differences in the response of mammalian photoreceptor cyclic GMP and PIII to a reduction in calcium 32: 809

IDO, K.
Takahashi, S., Kaihara, T., Takemoto, A., Ido, K. and Ejima, Y. Spectral sensitivities for illusory contour perception: a manifold linkage of chromatic and achromatic cues with the generation of contours 32: 1709
IIVANAINEN, A.
Iivanainen, A. and Rovamo, J. The effects of colour adaptation and stimulus size on white perception as a function of eccentricity in man 32: 1131
IWASAKI, T.
Yoshida, A., Kwong, K.K., Chang, C., Karino, K., Iwasaki, T., Buzney, S.M., McMeel, J.W. and Cheng, H.-M. Magnetic resonance microscopy of rabbit eyes 32: 37

JACOBSON, L.D.
Liu, Z., Gaska, J.P., Jacobson, L.D. and Pollen, D.A. Interneuronal interaction between members of quadrature phase and anti-phase pairs in the cat's visual cortex 32: 1193
JAGGER, W.S.
Jagger, W.S. The optics of the spherical fish lens 32: 1271
JAKOBSON, L.S.
Servos, P., Goodale, M.A. and Jakobson, L.S. The role of binocular vision in prehension: a kinematic analysis 32: 1513
JAMES, T.W.
James, T.W., Crescitelli, F., Loew, E.R. and McFarland, W.N. The eyespot of *Euglena gracilis*: a microspectrophotometric study 32: 1583
Crescitelli, F., James, T.W., Erickson, J.M., Loew, E.R. and McFarland, W.N. The eyespot of *Chlamydomonas reinhardtii*: a comparative microspectrophotometric study 32: 1593
JARDON, B.
Bonaventure, N., Kim, M.S., Jardon, B. and Yücel, H. Pharmacological study of the chicken's monocular optokinetic nystagmus: effects of GABAergic agonist and antagonists 32: 611

Bonaventure, N., Kim, M.S., Jardon, B. and Yücel, H. Pharmacological study of the chicken's monocular optokinetic nystagmus: involvement of the ON retinal channel evidenced by the glutamatergic separation of ON and OFF pathways 32: 601
Jardon, B., Yücel, Y.H. and Bonaventure N. Directional asymmetry of the frog monocular optokinetic nystagmus: cholinergic modulation 32: 541
JOHNSON, C.A.
Mutti, D.O., Zadnik, K., Johnson, C.A., Howland, H.C. and Murphy, C.J. Retinoscopic measurement of the refractive state of the rat 32: 583

KAAS, J.H.
Chino, Y.M., Kaas, J.H., Smith, E.L. III, Langston, A.L. and Cheng, H. Rapid reorganization of cortical maps in adult cats following restricted deafferentiation in retina 32: 789
KAIHARA, T.
Takahashi, S., Kaihara, T., Takemoto, A., Ido, K. and Ejima, Y. Spectral sensitivities for illusory contour perception: a manifold linkage of chromatic and achromatic cues with the generation of contours 32: 1709
KAISER, P.K.
Nakano, Y. and Kaiser, P.K. Color fusion and flicker fusion frequencies using tritanopic pairs 32: 1417
KARINO, K.
Yoshida, A., Kwong, K.K., Chang, C., Karino, K., Iwasaki, T., Buzney, S.M., McMeel, J.W. and Cheng, H.-M. Magnetic resonance microscopy of rabbit eyes 32: 37
KATSUMI, O.
Tetsuka, H., Katsumi, O., Morandi, A.J., Tetsuka, S., Wang, G.-J. and Hirose, T. Effect of light scatter on the pattern reversal visual evoked response: comparison with psychophysical results 32: 1211
KATZ, L.M.
Fox, D.A. and Katz, L.M. Developmental lead exposure selectively alters the scotopic ERG component of dark and light adaptation and increases rod calcium content 32: 249
KEIL, K.
Timney, B. and Keil, K. Visual acuity in the horse 32: 2289
KERN, T.J.
Murphy, C.J., Kern, T.J. and Howland, H.C. Refractive state, corneal curvature, accommodative range and ocular anatomy of the Asian elephant (*Elephas maximus*) 32: 2013
KHOKHLOVA, T.V.
Govardovskii, V.I., Röhlich, P., Szél, A. and Khokhlova, T.V. Cones in the retina of the Mongolian gerbil, *Meriones unguiculatus*: an immunocytochemical and electrophysiological study 32: 19
KIM, M.S.
Bonaventure, N., Kim, M.S., Jardon, B. and Yücel, H. Pharmacological study of the chicken's monocular optokinetic nystagmus: effects of GABAergic agonist and antagonists 32: 611
Bonaventure, N., Kim, M.S., Jardon, B. and Yücel, H. Pharmacological study of the chicken's monocular optokinetic nystagmus: involvement of the ON retinal channel evidenced by the glutamatergic separation of ON and OFF pathways 32: 601
KING, W.M.
Snyder, L.H., Lawrence, D.M. and King, W.M. Changes in vestibulo-ocular reflex (VOR) anticipate changes in vergence angle in monkey 32: 569
KINGDOM, F.
Kingdom, F., Moulden, B. and Collyer, S. A comparison between colour and luminance contrast in a spatial linking task 32: 709
Kingdom, F. and Moulden, B. A multi-channel approach to brightness coding 32: 1565
KIRYU, J.
Kiryu, J., Yamamoto, F. and Honda, Y. Effects of sodium iodate on the electroretinogram *c*-wave in the cat 32: 2221
KITO, Y.
Kito, Y., Partridge, J.C., Seidou, M., Narita, K., Hamanaka, T., Michinomae, M., Sekiya, N. and Yoshihara, K. The absorbance spectrum and photosensitivity of a new synthetic "visual pigment" based on 4-hydroxyretinal 32: 3
KLEIN, S.A.
Levi, D.M. and Klein, S.A. "Weber's law" for position: the role of spatial frequency and contrast 32: 2235
KOENIG, E.
Tweed, D., Fetter, M., Andreadaki, S., Koenig, E. and Dichgans, J. Three-dimensional properties of human pursuit eye movements 32: 1225
KOLB, H.
Guiloff, G.D. and Kolb, H. Neurons immunoreactive to choline acetyltransferase in the turtle retina 32: 2023
KOOI, F.L.
Kooi, F.L. and De Valois, K.K. The role of color in the motion system 32: 657

KORTH, M.
Korth, M., Rix, R. and Sembritzki, O. The different contributions of local luminance decreases and increases to the pattern electroretinogram (PERG) 32: 229
KOSHEL, R.J.
Hayhoe, M.M., Levin, M.E. and Koshel, R.J. Subtractive processes in light adaptation 32: 323
KOSKELAINEN, A.
Donner, K., Hemilä, S. and Koskelainen, A. On the relation between ERG waves and retinal function: inverted rod photoresponses from the frog retina 32: 1411
KOWLER, E.
He, P. and Kowler, E. The role of saccades in the perception of texture patterns 32: 2151
KRAUSKOPF, J.
Krauskopf, J. and Gegenfurtner, K. Color discrimination and adaptation 32: 2165
KÜBLER, O.
Heitger, F., Rosenthaler, L., von der Heydt, R., Peterhans, E. and Kübler, O. Simulation of neural contour mechanisms: from simple to end-stopped cells 32: 963
KUMAR, T.
Kumar, T. and Glaser, D.A. Shape analysis and stereopsis for human depth perception 32: 499
Kumar, T. and Glaser, D.A. Depth discrimination of a line is improved by adding other nearby lines 32: 1667
KURKJIAN, M.L.
Kurkjian, M.L. and Hodos, W. Age-dependent intensity-difference thresholds in pigeons 32: 1249
KURTENBACH, A.
Spillmann, L. and Kurtenbach, A. Dynamic noise backgrounds facilitate target fading 32: 1941
KWONG, K.K.
Yoshida, A., Kwong, K.K., Chang, C., Karino, K., Iwasaki, T., Buzney, S.M., McMeel, J.W. and Cheng, H.-M. Magnetic resonance microscopy of rabbit eyes 32: 37

LACKNER, J.R.
DiZio, P. and Lackner, J.R. Influence of gravitoinertial force level on vestibular and visual velocity storage in yaw and pitch 32: 111
LAMME, V.A.F.
Lamme, V.A.F., Van Dijk, B.W. and Spekreijse, H. Texture segregation is processed by primary visual cortex in man and monkey. Evidence from VEP experiments 32: 797
LANDRUM, J.T.
Bone, R.A., Landrum, J.T. and Cains, A. Optical density spectra of the macular pigment *in vivo* and *in vitro* 32: 105
LANGSTON, A.L.
Chino, Y.M., Kaas, J.H., Smith, E.L. III, Langston, A.L. and Cheng, H. Rapid reorganization of cortical maps in adult cats following restricted deafferentiation in retina 32: 789
LANKHEET, M.J.M.
Lankheet, M.J.M., Prickaerts, J.H.H.J. and van de Grind, W.A. Responses of cat horizontal cells to sinusoidal gratings 32: 997
LATHAM, K.
Whitaker, D., Mäkelä, P., Rovamo, J. and Latham, K. The influence of eccentricity on position and movement acuities as revealed by spatial scaling 32: 1913
LAWRENCE, D.M.
Snyder, L.H., Lawrence, D.M. and King, W.M. Changes in vestibulo-ocular reflex (VOR) anticipate changes in vergence angle in monkey 32: 569
LE ROHELLEC, J.
Viénot, F. and Le Rohellec, J. Reversal in the sequence of the Benham colours with a change in the wavelength of illumination 32: 2369
LEE, J.
Stromeyer, C.F. III, Lee, J. and Eskew, R.T. Jr. Peripheral chromatic sensitivity for flashes: a post-receptoral red-green asymmetry 32: 1865
LEIGH, R.J.
Seidman, S.H., Leigh, R.J. and Thomas, C.W. Eye movements during motion after-effect 32: 167
LEMIJ, H.G.
Lemij, H.G. and Collewijn, H. Nonconjugate adaptation of human saccades to anisometropic spectacles: meridian-specificity 32: 453
LENNIE, P.
Fairchild, M.D. and Lennie, P. Chromatic adaptation to natural and incandescent illuminants 32: 2077
LEVI, D.M.
White, J.M., Levi, D.M. and Aitsebaomo, A.P. Spatial localization without visual references 32: 513
Toet, A. and Levi, D.M. The two-dimensional shape of spatial interaction zones in the parafovea 32: 1349
Levi, D.M. and Klein, S.A. "Weber's law" for position: the role of spatial frequency and contrast 32: 2235

LEVIN, M.E.
Hayhoe, M.M., Levin, M.E. and Koshel, R.J. Subtractive processes in light adaptation 32: 323
LEVIN, S.
Abel, L.A., Levin, S. and Holzman, P.S. Abnormalities of smooth pursuit and saccadic control in schizophrenia and affective disorders 32: 1009
LEWIS, T.L.
Lewis, T.L. and Maurer, D. The development of the temporal and nasal visual fields during infancy 32: 903
LI, C.-Y.
Li, C.-Y., Zhou, Y.-X., Pei, X., Qiu, F.-T., Tang, C.-Q. and Xu, X.-Z. Extensive disinhibitory region beyond the classical receptive field of cat retinal ganglion cells 32: 219
LINDSEY, D.T.
Teller, D.Y., Lindsey, D.T., Mar, C.M., Succop, A. and Mahal, M.R. Infant temporal contrast sensitivity at low temporal frequencies 32: 1157
LIU, L.
Liu, L., Tyler, C.W. and Schor, C.M. Failure of rivalry at low contrast: evidence of a suprathreshold binocular summation process 32: 1471
LIU, Z.
Liu, Z., Gaska, J.P., Jacobson, L.D. and Pollen, D.A. Interneuronal interaction between members of quadrature phase and anti-phase pairs in the cat's visual cortex 32: 1193
LOEW, E.R.
James, T.W., Crescitelli, F., Loew, E.R. and McFarland, W.N. The eyespot of *Euglena gracilis*: a microspectrophotometric study 32: 1583
Crescitelli, F., James, T.W., Erickson, J.M., Loew, E.R. and McFarland, W.N. The eyespot of *Chlamydomonas reinhardtii*: a comparative microspectrophotometric study 32: 1593
Provencio, I., Loew, E.R. and Foster, R.G. Vitamin A_2-based visual pigments in fully terrestrial vertebrates 32: 2201
LORENCEAU, J.
Lorenceau, J. and Shiffrar, M. The influence of terminators on motion integration across space 32: 263
LOTT, L.A.
Post, R.B. and Lott, L.A. The relationship between vestibulo-ocular reflex plasticity and changes in apparent concomitant motion 32: 89

MACLEOD, D.I.A.
Macleod, D.I.A., Williams, D.R. and Makous, W. A visual nonlinearity fed by single cones 32: 347
MACVEIGH, D.
Whitaker, D., Rovamo, J., MacVeigh, D. and Mäkelä, P. Spatial scaling of vernier acuity tasks 32: 1481
MAGNUSSEN, S.
Greenlee, M.W., Georgeson, M.A., Magnussen, S. and Harris, J.P. The decay of adaptation to spatial contrast: a response to David Rose 32: 1785
MAHAL, M.R.
Teller, D.Y., Lindsey, D.T., Mar, C.M., Succop, A. and Mahal, M.R. Infant temporal contrast sensitivity at low temporal frequencies 32: 1157
MÄKELÄ, P.
Whitaker, D., Mäkelä, P., Rovamo, J. and Latham, K. The influence of eccentricity on position and movement acuities as revealed by spatial scaling 32: 1913
Whitaker, D., Rovamo, J., MacVeigh, D. and Mäkelä, P. Spatial scaling of vernier acuity tasks 32: 1481
MAKOUS, W.
Macleod, D.I.A., Williams, D.R. and Makous, W. A visual nonlinearity fed by single cones 32: 347
MANNING, M.L.
Manning, M.L. and Mazzucchelli, T. Electrical responses to short-range kinematogram displays: an occipital lobe global motion process in humans? 32: 447
MANNY, R.E.
Manny, R.E. Orientation selectivity of 3-month-old infants 32: 1817
MAR, C.M.
Teller, D.Y., Lindsey, D.T., Mar, C.M., Succop, A. and Mahal, M.R. Infant temporal contrast sensitivity at low temporal frequencies 32: 1157
MARCHESE, A.L.
Peachey, N.S., Arakawa, K., Alexander, K.R. and Marchese, A.L. Rapid and slow changes in the human cone electroretinogram during light and dark adaptation 32: 2049
MASARACHIA, P.
Tsukamoto, Y., Masarachia, P., Schein, S.J. and Sterling, P. Gap junctions between the pedicles of macaque foveal cones 32: 1809

MATEEFF, S.
Hohnsbein, J. and Mateeff, S. The relation between the velocity of visual motion and the reaction time to motion onset and offset 32: 1789
MAURER, D.
Lewis, T.L. and Maurer, D. The development of the temporal and nasal visual fields during infancy 32: 903
MAZZUCCHELLI, T.
Manning, M.L. and Mazzucchelli, T. Electrical responses to short-range kinematogram displays: an occipital lobe global motion process in humans? 32: 447
MCBEATH, M.K.
Morikawa, K. and McBeath, M.K. Lateral motion bias associated with reading direction 32: 1137
MCBRIEN, N.A.
Norton, T.T. and McBrien, N.A. Normal development of refractive state and ocular component dimensions in the tree shrew (*Tupaia belangeri*) 32: 833
McBrien, N.A. and Norton, T.T. The development of experimental myopia and ocular component dimensions in monocularly lid-sutured tree shrews (*Tupaia belangeri*) 32: 843
MCCOSKER, J.E.
Howland, H.C., Murphy, C.J. and McCosker, J.E. Detection of eyeshine by flashlight fishes of the family Anomalopidae 32: 765
MCFARLAND, W.N.
James, T.W., Crescitelli, F., Loew, E.R. and McFarland, W.N. The eyespot of *Euglena gracilis*: a microspectrophotometric study 32: 1583
Crescitelli, F., James, T.W., Erickson, J.M., Loew, E.R. and McFarland, W.N. The eyespot of *Chlamydomonas reinhardtii*: a comparative microspectrophotometric study 32: 1593
MCGARY, J.
Patterson, R., Ricker, C., McGary, J. and Rose, D. Properties of cyclopean motion perception 32: 149
MCKEE, S.P.
McKee, S.P. and Welch, L. The precision of size constancy 32: 1447
MCMEEL, J.W.
Yoshida, A., Kwong, K.K., Chang, C., Karino, K., Iwasaki, T., Buzney, S.M., McMeel, J.W. and Cheng, H.-M. Magnetic resonance microscopy of rabbit eyes 32: 37
MCREYNOLDS, J.S.
Dong, C.-J. and McReynolds, J.S. An intensity-dependent biphasic neuron in mudpuppy retina 32: 1405
MEIGEN, T.
Bach, M. and Meigen, T. Electrophysiological correlates of texture segregation in the human visual evoked potential 32: 417
MICHINOMAE, M.
Kito, Y., Partridge, J.C., Seidou, M., Narita, K., Hamanaka, T., Michinomae, M., Sekiya, N. and Yoshihara, K. The absorbance spectrum and photosensitivity of a new synthetic "visual pigment" based on 4-hydroxyretinal 32: 3
MILLER, J.M.
Miller, J.M. and Robins, D. Extraocular muscle forces in alert monkey 32: 1099
MINGOLLA, E.
Mingolla, E., Todd, J.T. and Norman, J.F. The perception of globally coherent motion 32: 1015
MJOLSNESS, E.
Hirsch, J. and Mjolsness, E. A center-of-mass computation describes the precision of random dot displacement discrimination 32: 335
MOHN, G.
Zanker, J., Mohn, G., Weber, U., Zeitler-Driess, K. and Fahle, M. The development of Vernier acuity in human infants 32: 1557
MOK, D.
Mok, D., Ro, A., Cadera, W., Crawford, J.D. and Vilis, T. Rotation of Listing's plane during vergence 32: 2055
MOLLON, J.D.
Mollon, J.D., Astell, S. and Cavonius, C.R. A reduction in stimulus duration can improve wavelength discriminations mediated by short-wave cones 32: 745
Tovée, M.J., Bowmaker, J.K. and Mollon, J.D. The relationship between cone pigments and behavioural sensitivity in a New World monkey (*Callithrix jacchus jacchus*) 32: 867
MORAGLIA, G.
Moraglia, G. and Schneider, B. On binocular unmasking of signals in noise: further tests of the summation hypothesis 32: 375
MORANDI, A.J.
Tetsuka, H., Katsumi, O., Morandi, A.J., Tetsuka, S., Wang, G.-J. and Hirose, T. Effect of light scatter on the pattern reversal visual evoked response: comparison with psychophysical results 32: 1211
MORGAN, M.J.
Morgan, M.J. and Cleary, R. Effects of contrast substitutions upon motion detection in spatially random patterns 32: 639

Morgan, M.J. and Cleary R. Effects of colour substitutions upon motion detection in spatially random patterns 32: 815
Morgan, M.J. On the scaling of size judgements by orientational cues 32: 1433
Morgan, M.J. and Cleary, R. Ambiguous motion in a two-frame sequence 32: 2195
MORI, N.
Watanabe, T., Mori, N. and Nakamura, F. A new superbright LED stimulator: photodiode-feedback design for linearizing and stabilizing emitted light 32: 953
MORIKAWA, K.
Morikawa, K. and McBeath, M.K. Lateral motion bias associated with reading direction 32: 1137
MORRONE, M.C.
Burr, D.C., Morrone, M.C. and Fiorentini, A. Electro-physiological investigation of edge-selective mechanisms of human vision 32: 239
Porciatti, V., Burr, D.C., Morrone, M.C. and Fiorentini, A. The effects of ageing on the pattern electroretinogram and visual evoked potential in humans 32: 1199
MOULDEN, B.
Kingdom, F., Moulden, B. and Collyer, S. A comparison between colour and luminance contrast in a spatial linking task 32: 709
Kingdom, F. and Moulden, B. A multi-channel approach to brightness coding 32: 1565
MULLEN, K.T.
Mullen, K.T. and Boulton, J.C. Absence of smooth motion perception in color vision 32: 483
MULLER, H.J.
Crawford, T.J. and Muller, H.J. Spatial and temporal effects of spatial attention on human saccadic eye movements 32: 293
MURPHY, C.J.
Mutti, D.O., Zadnik, K., Johnson, C.A., Howland, H.C. and Murphy, C.J. Retinoscopic measurement of the refractive state of the rat 32: 583
Howland, H.C., Murphy, C.J. and McCosker, J.E. Detection of eyeshine by flashlight fishes of the family Anomalopidae 32: 765
Murphy, C.J., Kern, T.J. and Howland, H.C. Refractive state, corneal curvature, accommodative range and ocular anatomy of the Asian elephant (*Elephas maximus*) 32: 2013
MUTTI, D.O.
Mutti, D.O., Zadnik, K., Johnson, C.A., Howland, H.C. and Murphy, C.J. Retinoscopic measurement of the refractive state of the rat 32: 583

NAKAMURA, F.
Watanabe, T., Mori, N. and Nakamura, F. A new superbright LED stimulator: photodiode-feedback design for linearizing and stabilizing emitted light 32: 953
NAKANO, Y.
Nakano, Y. and Kaiser, P.K. Color fusion and flicker fusion frequencies using tritanopic pairs 32: 1417
NARITA, K.
Kito, Y., Partridge, J.C., Seidou, M., Narita, K., Hamanaka, T., Michinomae, M., Sekiya, N. and Yoshihara, K. The absorbance spectrum and photosensitivity of a new synthetic "visual pigment" based on 4-hydroxyretinal 32: 3
NÄSÄNEN, R.
Rovamo, J., Franssila, R. and Näsänen, R. Contrast sensitivity as a function of spatial frequency, viewing distance and eccentricity with and without spatial noise 32: 631
NAZIR, T.A.
Nazir, T.A. Effects of lateral masking and spatial precueing on gap-resolution in central and peripheral vision 32: 771
NEILL, R.A.
Neill, R.A. and Woodruff, C.J. Effects of flicker modulation depth on the detection of changes in target location 32: 173
NERGER, J.L.
Nerger, J.L. and Cicerone, C.M. The ratio of L cones to M cones in the human parafoveal retina 32: 879
NISHIDA, S.
Nishida, S., Ohtani, Y. and Ejima, Y. Inhibitory interaction in a split/fusion apparent motion: lack of spatial-frequency selectivity 32: 1523
Nishida, S. and Sato, T. Positive motion after-effect induced by bandpass-filtered random-dot kinematograms 32: 1635
NORMAN, J.F.
Mingolla, E., Todd, J.T. and Norman, J.F. The perception of globally coherent motion 32: 1015
NORMANN, R.A.
Cha, K., Horch, K.W. and Normann, R.A. Mobility performance with a pixelized vision system 32: 1367
VAN NORREN, D.
Gorgels, T.G.M.F. and van Norren, D. Spectral transmittance of the rat lens 32: 1509

NORTON, T.T.
Norton, T.T. and McBrien, N.A. Normal development of refractive state and ocular component dimensions in the tree shrew (*Tupaia belangeri*) 32: 833
McBrien, N.A. and Norton, T.T. The development of experimental myopia and ocular component dimensions in monocularly lid-sutured tree shrews (*Tupaia belangeri*) 32: 843

OHTANI, Y.
Nishida, S., Ohtani, Y. and Ejima, Y. Inhibitory interaction in a split/fusion apparent motion: lack of spatial-frequency selectivity 32: 1523
OLZAK, L.A.
Olzak, L.A. and Thomas, J.P. Configural effects constrain Fourier models of pattern discrimination 32: 1885
OOHIRA, A.
Oohira A. and Zee, D.S. Disconjugate ocular motor adaptation in rhesus monkey 32: 489
ORBAN, G.A.
De Weerd, P., Vandenbussche, E. and Orban, G.A. Texture segregation in the cat: a parametric study 32: 305
OSSENBLOK, P.
Ossenblok, P., Reits, D. and Spekreijse, H. Analysis of striate activity underlying the pattern onset EP of children 32: 1829

PACKER, O.
Packer, O. and Williams, D.R. Blurring by fixation eye movements 32: 1931
PALACIOS, A.G.
Palacios, A.G. and Varela, F.J. Color mixing in the pigeon (*Columba livia*) II: a psychophysical determination in the middle, short and near-UV wavelength range 32: 1947
PANTLE, A.
Pantle, A. and Turano, K. Visual resolution of motion ambiguity with periodic luminance- and contrast-domain stimuli 32: 2093
PARKER, J.A.
Deshpande, S., Thompson, M., Parker, J.A. and Abrahamson, E.W. Study of retinal dystrophy in RCS rats: a comparison of Mg-ATP dependent light scattering activity and ERG *b*-wave 32: 425
PARTRIDGE, J.C.
Kito, Y., Partridge, J.C., Seidou, M., Narita, K., Hamanaka, T., Michinomae, M., Sekiya, N. and Yoshihara, K. The absorbance spectrum and photosensitivity of a new synthetic "visual pigment" based on 4-hydroxyretinal 32: 3
PATTERSON, R.
Patterson, R., Ricker, C., McGary, J. and Rose, D. Properties of cyclopean motion perception 32: 149
PAVEL, M.
Pavel, M., Cunningham, H. and Stone, V. Extrapolation of linear motion 32: 2177
PEACHEY, N.S.
Peachey, N.S., Arakawa, K., Alexander, K.R. and Marchese, A.L. Rapid and slow changes in the human cone electroretinogram during light and dark adaptation 32: 2049
PEI, X.
Li, C.-Y., Zhou, Y.-X., Pei, X., Qiu, F.-T., Tang, C.-Q. and Xu, X.-Z. Extensive disinhibitory region beyond the classical receptive field of cat retinal ganglion cells 32: 219
PELLI, D.G.
Verghese, P. and Pelli, D.G. The information capacity of visual attention 32: 983
PENN, R.P.
Sternheim, C.E. and Penn, R.P. Visual segmentation of a heterochromatic field into center/surround components 32: 1125
PETERHANS, E.
Heitger, F., Rosenthaler, L., von der Heydt, R., Peterhans, E. and Kübler, O. Simulation of neural contour mechanisms: from simple to end-stopped cells 32: 963
PHILLIPS, N.J.
Phillips, N.J., Winn, B. and Gilmartin, B. Absence of pupil response to blur-driven accommodation 32: 1775
PIANTANIDA, T.P.
Piantanida, T.P. and Gille, J. Methodology-specific Rayleigh-match distributions 32: 2375
POKORNY, J.
Bowen, R.W., Pokorny, J., Smith, V.C. and Fowler, M.A. Sawtooth contrast sensitivity: effects of mean illuminance and low temporal frequencies 32: 1239
POLLEN, D.A.
Liu, Z., Gaska, J.P., Jacobson, L.D. and Pollen, D.A. Interneuronal interaction between members of quadrature phase and anti-phase pairs in the cat's visual cortex 32: 1193

PORCIATTI, V.
Porciatti, V., Burr, D.C., Morrone, M.C. and Fiorentini, A. The effects of ageing on the pattern electroretinogram and visual evoked potential in humans 32: 1199
POST, R.B.
Post, R.B. and Lott, L.A. The relationship between vestibulo-ocular reflex plasticity and changes in apparent concomitant motion 32: 89
PRICKAERTS, J.H.H.J.
Lankheet, M.J.M., Prickaerts, J.H.H.J. and van de Grind, W.A. Responses of cat horizontal cells to sinusoidal gratings 32: 997
PROVENCIO, I.
Provencio, I., Loew, E.R. and Foster, R.G. Vitamin A_2-based visual pigments in fully terrestrial vertebrates 32: 2201
PUGH, E.N. JR.
Calkins, D.J., Thornton, J.E. and Pugh, E.N. Jr. Monochromatism determined at a long-wavelength/middle-wavelength cone-antagonistic locus 32: 2349

QIU, F.-T.
Li, C.-Y., Zhou, Y.-X., Pei, X., Qiu, F.-T., Tang, C.-Q. and Xu, X.-Z. Extensive disinhibitory region beyond the classical receptive field of cat retinal ganglion cells 32: 219

RABIN, J.
Rabin, J., Adams, A.J. and Switkes, E. Perceptual ambiguity and the short wavelength sensitive visual pathway 32: 399
Rabin, J. and Adams, A.J. Lightness induction in the S-cone pathway 32: 1771
RAMÍREZ, A.I.
Triviño, A., Ramírez, J.M., Ramírez, A.I., Salazar, J.J. and García-Sanchez, J. Retinal perivasclar astroglia: an immunoperoxidase study 32: 1601
RAMÍREZ, J.M.
Triviño, A., Ramírez, J.M., Ramírez, A.I., Salazar, J.J. and García-Sanchez, J. Retinal perivasclar astroglia: an immunoperoxidase study 32: 1601
REGAN, D.
Regan, D. and Hamstra, S.J. Dissociation of orientation discrimination from form detection for motion-defined bars and luminance-defined bars: effects of dot lifetime and presentation duration 32: 1655
Regan, D. and Hamstra, S.J. Shape discrimination and the judgement of perfect symmetry: dissociation of shape from size 32: 1845
REITNER, A.
Reitner, A., Sharpe, L.T. and Zrenner, E. Wavelength discrimination as a function of field intensity, duration and size 32: 179
REITS, D.
Ossenblok, P., Reits, D. and Spekreijse, H. Analysis of striate activity underlying the pattern onset EP of children 32: 1829
RICKER, C.
Patterson, R., Ricker, C., McGary, J. and Rose, D. Properties of cyclopean motion perception 32: 149
VAN RIJN, L.J.
van Rijn, L.J., van der Steen, J. and Collewijn, H. Visually induced cycloversion and cyclovergence 32: 1875
RIX, R.
Korth, M., Rix, R. and Sembritzki, O. The different contributions of local luminance decreases and increases to the pattern electroretinogram (PERG) 32: 229
RO, A.
Mok, D., Ro, A., Cadera, W., Crawford, J.D. and Vilis, T. Rotation of Listing's plane during vergence 32: 2055
ROBINS, D.
Miller, J.M. and Robins, D. Extraocular muscle forces in alert monkey 32: 1099
RÖHLICH, P.
Govardovskii, V.I., Röhlich, P., Szél, A. and Khokhlova, T.V. Cones in the retina of the Mongolian gerbil, *Meriones unguiculatus*: an immunocytochemical and electrophysiological study 32: 19
RONACHER, B.
Ronacher, B. Pattern recognition in honeybees: multidimensional scaling reveals a city-block metric 32: 1837
ROSE, D.
Patterson, R., Ricker, C., McGary, J. and Rose, D. Properties of cyclopean motion perception 32: 149
Rose, D. A square root law for adaptation to contrast? 32: 1781
ROSENTHALER, L.
Heitger, F., Rosenthaler, L., von der Heydt, R., Peterhans, E. and Kübler, O. Simulation of neural contour mechanisms: from simple to end-stopped cells 32: 963

ROSS, J.
Speed, H.D. and Ross, J. Spatial frequency tuning of facilitation by masks 32: 1143
ROVAMO, J.
Iivanainen, A. and Rovamo, J. The effects of colour adaptation and stimulus size on white perception as a function of eccentricity in man 32: 1131
Rovamo, J., Franssila, R. and Näsänen, R. Contrast sensitivity as a function of spatial frequency, viewing distance and eccentricity with and without spatial noise 32: 631
Whitaker, D., Mäkelä, P., Rovamo, J. and Latham, K. The influence of eccentricity on position and movement acuities as revealed by spatial scaling 32: 1913
Whitaker, D., Rovamo, J., MacVeigh, D. and Mäkelä, P. Spatial scaling of vernier acuity tasks 32: 1481
RUBIN, G.S.
Rubin, G.S. and Turano, K. Reading without saccadic eye movements 32: 895

SAITO, T.
Yamada, M., Shigematsu, Y., Umetani, Y. and Saito, T. Dopamine decreases receptive field size of rod-driven horizontal cells in carp retina 32: 1801
SALAZAR, A.I.
Triviño, A., Ramírez, J.M., Ramírez, A.I., Salazar, J.J. and García-Sanchez, J. Retinal perivasclar astroglia: an immunoperoxidase study 32: 1601
SATO, T.
Nishida, S. and Sato, T. Positive motion after-effect induced by bandpass-filtered random-dot kinematograms 32: 1635
SAVAGE, G.L.
Savage, G.L. and Banks, M.S. Scotopic visual efficiency: constraints by optics, receptor properties, and rod pooling 32: 645
SCHAEFFEL, F.
Schaeffel, F. and Wagner, H. Barn owls have symmetrical accommodation in both eyes, but independent pupillary responses to light 32: 1149
SCHEIN, S.J.
Tsukamoto, Y., Masarachia, P., Schein, S.J. and Sterling, P. Gap junctions between the pedicles of macaque foveal cones 32: 1809
SCHMID, A.
Griebel, U. and Schmid, A. Color vision in the California sea lion (*Zalophus californianus*) 32: 477
SCHNEIDER, B.
Moraglia, G. and Schneider, B. On binocular unmasking of signals in noise: further tests of the summation hypothesis 32: 375
SCHOR, C.M.
Liu, L., Tyler, C.W. and Schor, C.M. Failure of rivalry at low contrast: evidence of a suprathreshold binocular summation process 32: 1471
Stevenson, S.B., Cormack, L.K., Schor, C.M. and Tyler, C.W. Disparity tuning in mechanisms of human stereopsis 32: 1685
SCHRAMME, J.
Campenhausen, C.v., Hofstetter, K., Schramme, J. and Tritsch, M.F. Color induction via non-opponent lateral interactions in the human retina 32: 913
Schramme, J. Changes in pattern induced flicker colors are mediated by the blue-yellow opponent process 32: 2129
SCHWARTZ, S.H.
Schwartz, S.H. Reaction time distributions and their relationship to the transient/sustained nature of the neural discharge 32: 2087
SEIDMAN, S.H.
Seidman, S.H., Leigh, R.J. and Thomas, C.W. Eye movements during motion after-effect 32: 167
SEIDOU, M.
Kito, Y., Partridge, J.C., Seidou, M., Narita, K., Hamanaka, T., Michinomae, M., Sekiya, N. and Yoshihara, K. The absorbance spectrum and photosensitivity of a new synthetic "visual pigment" based on 4-hydroxyretinal 32: 3
SEIPLE, W.
Seiple, W., Holopigian, K., Greenstein, V. and Hood, D.C. Temporal frequency dependent adaptation at the level of the outer retina in humans 32: 2043
SEKIYA, N.
Kito, Y., Partridge, J.C., Seidou, M., Narita, K., Hamanaka, T., Michinomae, M., Sekiya, N. and Yoshihara, K. The absorbance spectrum and photosensitivity of a new synthetic "visual pigment" based on 4-hydroxyretinal 32: 3
SEKULER, A.B.
Sekuler, A.B. Simple-pooling of unidirectional motion predicts speed discrimination for looming stimuli 32: 2277
SEKULER, R.
Watamaniuk, S.N.J. and Sekuler, R. Temporal and spatial integration in dynamic random-dot stimuli 32: 2341

SEMBRITZKI, O.
Korth, M., Rix, R. and Sembritzki, O. The different contributions of local luminance decreases and increases to the pattern electroretinogram (PERG) 32: 229
SERVOS, P.
Servos, P., Goodale, M.A. and Jakobson, L.S. The role of binocular vision in prehension: a kinematic analysis 32: 1513
SHACKLETON, T.M.
Georgeson, M.A. and Shackleton, T.M. No evidence for dichoptic motion sensing: a reply to Carney and Shadlen 32: 193
SHADLEN, M.N.
Carney, T. and Shadlen, M.N. Binocularity of early motion mechanisms: comments on Georgeson and Shackleton 32: 187
SHAPIRO, A.G.
Zaidi, Q., Shapiro, A. and Hood D. The effect of adaptation on the differential sensitivity of the *S*-cone color system 32: 1297
Shapiro, A.G. and Zaidi, Q. The effects of prolonged temporal modulation on the differential response of color mechanisms 32: 2065
SHARPE, L.T.
Reitner, A., Sharpe, L.T. and Zrenner, E. Wavelength discrimination as a function of field intensity, duration and size 32: 179
SHEVELL, S.K.
Shevell, S.K. Redness from short-wavelength-sensitive cones does not induce greenness 32: 1551
Wesner, M.F. and Shevell, S.K. Color perception within a chromatic context: changes in red/green equilibria caused by noncontiguous light 32: 1623
Shevell, S.K., Holliday, I. and Whittle, P. Two separate neural mechanisms of brightness induction 32: 2331
SHIFFRAR, M.
Lorenceau, J. and Shiffrar, M. The influence of terminators on motion integration across space 32: 263
SHIGEMATSU, Y.
Yamada, M., Shigematsu, Y., Umetani, Y. and Saito, T. Dopamine decreases receptive field size of rod-driven horizontal cells in carp retina 32: 1801
SHIOIRI, S.
Shioiri, S. and Cavanagh, P. Visual persistence of figures defined by relative motion 32: 943
SHORS, T.J.
Shors, T.J., Wright, K. and Greene, E. Control of interocular suppression as a function of differential image blur 32: 1169
SKAVENSKI, A.A.
Heinen, S.J. and Skavenski, A.A. Adaptation of saccades and fixation to bilateral foveal lesions in adult monkey 32: 365
SKOCZENSKI, A.M.
Skoczenski, A.M. and Aslin, R.N. Spatiotemporal factors in infant position sensitivity: single bar stimuli 32: 1761
SMITH, A.T.
Hammett, S.T. and Smith, A.T. Two temporal channels or three? A re-evaluation 32: 285
Smith, A.T. Coherence of plaids comprising components of disparate spatial frequencies 32: 393
SMITH, E.L. III
Chino, Y.M., Kaas, J.H., Smith, E.L. III, Langston, A.L. and Cheng, H. Rapid reorganization of cortical maps in adult cats following restricted deafferentiation in retina 32: 789
SMITH, V.C.
Bowen, R.W., Pokorny, J., Smith, V.C. and Fowler, M.A. Sawtooth contrast sensitivity: effects of mean illuminance and low temporal frequencies 32: 1239
SNIPPE, H.P.
Werkhoven, P., Snippe, H.P. and Toet, A. Visual processing of optic acceleration 32: 2313
SNOWDEN, R.J.
Hess, R.F. and Snowden, R.J. Temporal properties of human visual filters: number, shapes and spatial covariation 32: 47
Snowden, R.J. and Hess, R.F. Temporal frequency filters in the human peripheral visual field 32: 61
Snowden, R.J. Orientation bandwidth: the effect of spatial and temporal frequency 32: 1965
SNYDER, L.H.
Snyder, L.H., Lawrence, D.M. and King, W.M. Changes in vestibulo-ocular reflex (VOR) anticipate changes in vergence angle in monkey 32: 569
SPEED, H.D.
Speed, H.D. and Ross, J. Spatial frequency tuning of facilitation by masks 32: 1143
SPEKREIJSE, H.
Van Dijk, B.W. and Spekreijse, H. The 2dim-Laplacian field is not suitable to localize sources of EEG activity 32: 261

Lamme, V.A.F., Van Dijk, B.W. and Spekreijse, H. Texture segregation is processed by primary visual cortex in man and monkey. Evidence from VEP experiments 32: 797
Ossenblok, P., Reits, D. and Spekreijse, H. Analysis of striate activity underlying the pattern onset EP of children 32: 1829
SPILLMANN, L.
Spillmann, L. and Kurtenbach, A. Dynamic noise backgrounds facilitate target fading 32: 1941
SREBRO, R.
Srebro, R. The Laplacian of the scalp potential field: physical interpretation and practical utility 32: 257
Srebro, R. An analysis of the VEP to luminance modulation and of its nonlinearity 32: 1395
STARK, W.S.
Griswold, M.S. and Stark, W.S. Scotopic spectral sensitivity of phakic and aphakic observers extending into the near ultraviolet 32: 1739
VAN DER STEEN, J.
van Rijn, L.J., van der Steen, J. and Collewijn, H. Visually induced cycloversion and cyclovergence 32: 1875
STERLING, P.
Tsukamoto, Y., Masarachia, P., Schein, S.J. and Sterling, P. Gap junctions between the pedicles of macaque foveal cones 32: 1809
STERNHEIM, C.E.
Sternheim, C.E. and Penn, R.P. Visual segmentation of a heterochromatic field into center/surround components 32: 1125
STEVENSON, S.B.
Stevenson, S.B., Cormack, L.K., Schor, C.M. and Tyler, C.W. Disparity tuning in mechanisms of human stereopsis 32: 1685
STIEVE, H.
Stieve, H. and Benner, S. The light-induced rise in cytosolic calcium starts later than the receptor current of the *Limulus* ventral photoreceptor 32: 403
STONE, L.S.
Stone, L.S. and Thompson, P. Human speed perception is contrast dependent 32: 1535
STONE, V.
Pavel, M., Cunningham, H. and Stone, V. Extrapolation of linear motion 32: 2177
STONER, G.R.
Stoner, G.R. and Albright, T.D. Motion coherency rules are form-cue invariant 32: 465
STORCH, R.L.
Brannan, J.R., Bodis-Wollner, I. and Storch, R.L. Evidence for two distinct nonlinear components in the human pattern ERG 32: 11
STRAUMANN, D.
Straumann, D., Suzuki, M., Henn, V., Hess, B.J.M. and Haslwanter, T. Visual suppression of torsional vestibular nystagmus in rhesus monkeys 32: 1067
Haslwanter, Th., Straumann, D., Hess, B.J.M. and Henn, V. Static roll and pitch in the monkey: shift and rotation of Listing's plane 32: 1341
Hess, B.J.M., Van Opstal, A.J., Straumann, D. and Hepp, K. Calibration of three-dimensional eye position using search coil signals in the rhesus monkey 32: 1647
STROMEYER, C.F. III
Stromeyer, C.F. III, Lee, J. and Eskew, R.T. Jr. Peripheral chromatic sensitivity for flashes: a post-receptoral red-green asymmetry 32: 1865
STUTIN, C.
Hock, H.S., Eastman, K., Field, L. and Stutin, C. The effects of common movement and spatial separation on position- and motion-based judgments of relative movement 32: 1043
SUCCOP, A.
Teller, D.Y., Lindsey, D.T., Mar, C.M., Succop, A. and Mahal, M.R. Infant temporal contrast sensitivity at low temporal frequencies 32: 1157
SUTTER, A.
Graham, N., Beck, J. and Sutter, A. Nonlinear processes in spatial-frequency channel models of perceived texture segregation: effects of sign and amount of contrast 32: 719
SUTTER, E.E.
Sutter, E.E. and Tran, D. The field topography of ERG components in man--I. The photopic luminance response 32: 433
SUZUKI, M.
Straumann, D., Suzuki, M., Henn, V., Hess, B.J.M. and Haslwanter, T. Visual suppression of torsional vestibular nystagmus in rhesus monkeys 32: 1067
SWANSON, W.H.
Birch, E.E. and Swanson, W.H. Probability summation of acuity in the human infant 32: 1999
SWITKES, E.
Rabin, J., Adams, A.J. and Switkes, E. Perceptual ambiguity and the short wavelength sensitive visual pathway 32: 399

SZÉL, A.
Govardovskii, V.I., Röhlich, P., Szél, A. and Khokhlova, T.V. Cones in the retina of the Mongolian gerbil, *Meriones unguiculatus*: an immunocytochemical and electrophysiological study 32: 19

TAKAHASHI, S.
Takahashi, S., Kaihara, T., Takemoto, A., Ido, K. and Ejima, Y. Spectral sensitivities for illusory contour perception: a manifold linkage of chromatic and achromatic cues with the generation of contours 32: 1709
TAKEMOTO, A.
Takahashi, S., Kaihara, T., Takemoto, A., Ido, K. and Ejima, Y. Spectral sensitivities for illusory contour perception: a manifold linkage of chromatic and achromatic cues with the generation of contours 32: 1709
TANG, C.-Q.
Li, C.-Y., Zhou, Y.-X., Pei, X., Qiu, F.-T., Tang, C.-Q. and Xu, X.-Z. Extensive disinhibitory region beyond the classical receptive field of cat retinal ganglion cells 32: 219
TELLER, D.Y.
Teller, D.Y., Lindsey, D.T., Mar, C.M., Succop, A. and Mahal, M.R. Infant temporal contrast sensitivity at low temporal frequencies 32: 1157
TETSUKA, H.
Tetsuka, H., Katsumi, O., Morandi, A.J., Tetsuka, S., Wang, G.-J. and Hirose, T. Effect of light scatter on the pattern reversal visual evoked response: comparison with psychophysical results 32: 1211
TETSUKA, S.
Tetsuka, H., Katsumi, O., Morandi, A.J., Tetsuka, S., Wang, G.-J. and Hirose, T. Effect of light scatter on the pattern reversal visual evoked response: comparison with psychophysical results 32: 1211
THIBOS, L.N.
Ye, M., Bradley, A., Thibos, L.N. and Zhang, X. The effect of pupil size on chromostereopsis and chromatic diplopia: interaction between the Stiles-Crawford effect and chromatic aberrations 32: 2121
THOMAS, C.W.
Seidman, S.H., Leigh, R.J. and Thomas, C.W. Eye movements during motion after-effect 32: 167
THOMAS, J.P.
Olzak, L.A. and Thomas, J.P. Configural effects constrain Fourier models of pattern discrimination 32: 1885
THOMPSON, M.
Deshpande, S., Thompson, M., Parker, J.A. and Abrahamson, E.W. Study of retinal dystrophy in RCS rats: a comparison of Mg-ATP dependent light scattering activity and ERG *b*-wave 32: 425
THOMPSON, P.
Stone, L.S. and Thompson, P. Human speed perception is contrast dependent 32: 1535
THORNTON, J.E.
Calkins, D.J., Thornton, J.E. and Pugh, E.N. Jr. Monochromatism determined at a long-wavelength/middle-wavelength cone-antagonistic locus 32: 2349
THORPE, P.H.
Green, P.R., Davies, M.N.O. and Thorpe, P.H. Head orientation in pigeons during landing flight 32: 2229
TIMNEY, B.
Timney, B. and Keil, K. Visual acuity in the horse 32: 2289
TODD, J.T.
Mingolla, E., Todd, J.T. and Norman, J.F. The perception of globally coherent motion 32: 1015
TOET, A.
Toet, A. and Levi, D.M. The two-dimensional shape of spatial interaction zones in the parafovea 32: 1349
Werkhoven, P., Snippe, H.P. and Toet, A. Visual processing of optic acceleration 32: 2313
TOVÉE, M.J.
Tovée, M.J., Bowmaker, J.K. and Mollon, J.D. The relationship between cone pigments and behavioural sensitivity in a New World monkey (*Callithrix jacchus jacchus*) 32: 867
TRAN, D.
Sutter, E.E. and Tran, D. The field topography of ERG components in man--I. The photopic luminance response 32: 433
TRIMARCHI, C.
Fiorentini, A. and Trimarchi, C. Development of temporal properties of pattern electroretinogram and visual evoked potentials in infants 32: 1609
TRITSCH, M.F.
Campenhausen, C.v., Hofstetter, K., Schramme, J. and Tritsch, M.F. Color induction via non-opponent lateral interactions in the human retina 32: 913
Tritsch, M.F. Fourier analysis of the stimuli for pattern-induced flicker colors 32: 1461
TRIVIÑO, A.
Triviño, A., Ramírez, J.M., Ramírez, A.I., Salazar, J.J. and García-Sanchez, J. Retinal perivasclar astroglia: an immunoperoxidase study 32: 1601

TROOST, J.M.
Troost, J.M., Wei, L. and de Weert, C.M.M. Binocular measurements of chromatic adaptation 32: 1987
TSUKAMOTO, Y.
Tsukamoto, Y., Masarachia, P., Schein, S.J. and Sterling, P. Gap junctions between the pedicles of macaque foveal cones 32: 1809
TURANO, K.
Rubin, G.S. and Turano, K. Reading without saccadic eye movements 32: 895
Pantle, A. and Turano, K. Visual resolution of motion ambiguity with periodic luminance- and contrast-domain stimuli 32: 2093
TWEED, D.
Tweed, D., Fetter, M., Andreadaki, S., Koenig, E. and Dichgans, J. Three-dimensional properties of human pursuit eye movements 32: 1225
TYLER, C.W.
Liu, L., Tyler, C.W. and Schor, C.M. Failure of rivalry at low contrast: evidence of a suprathreshold binocular summation process 32: 1471
Stevenson, S.B., Cormack, L.K., Schor, C.M. and Tyler, C.W. Disparity tuning in mechanisms of human stereopsis 32: 1685

UENO, T.
Ueno, T. Sustained and transient properties of chromatic and luminance systems 32: 1055
UMETANI, Y.
Yamada, M., Shigematsu, Y., Umetani, Y. and Saito, T. Dopamine decreases receptive field size of rod-driven horizontal cells in carp retina 32: 1801

VAN DIJK, B.W.
Van Dijk, B.W. and Spekreijse, H. The 2dim-Laplacian field is not suitable to localize sources of EEG activity 32: 261
Lamme, V.A.F., Van Dijk, B.W. and Spekreijse, H. Texture segregation is processed by primary visual cortex in man and monkey. Evidence from VEP experiments 32: 797
VAN OPSTAL, A.J.
Hess, B.J.M., Van Opstal, A.J., Straumann, D. and Hepp, K. Calibration of three-dimensional eye position using search coil signals in the rhesus monkey 32: 1647
VANDENBUSSCHE, E.
De Weerd, P., Vandenbussche, E. and Orban, G.A. Texture segregation in the cat: a parametric study 32: 305
VARELA, F.J.
Palacios, A.G. and Varela, F.J. Color mixing in the pigeon (*Columba livia*) II: a psychophysical determination in the middle, short and near-UV wavelength range 32: 1947
VERGHESE, P.
Verghese, P. and Pelli, D.G. The information capacity of visual attention 32: 983
VIÉNOT, F.
Viénot, F. and Chiron, A. Brightness matching and flicker photometric data obtained over the full mesopic range 32: 533
Viénot, F. and Le Rohellec, J. Reversal in the sequence of the Benham colours with a change in the wavelength of illumination 32: 2369
VILIS, T.
Bains, R.A., Crawford, J.D., Cadera, W. and Vilis, T. The conjugacy of human saccadic eye movements 32: 1677
Mok, D., Ro, A., Cadera, W., Crawford, J.D. and Vilis, T. Rotation of Listing's plane during vergence 32: 2055
VOADEN, M.J.
Hussain, A.A., Willmott, N.J. and Voaden, M.J. Cyclic GMP, calcium and photoreceptor sensitivity in mice heterozygous for the rod dysplasia gene designated "rd" 32: 29
Hussain, A.A., Willmott, N.J. and Voaden, M.J. Species differences in the response of mammalian photoreceptor cyclic GMP and PIII to a reduction in calcium 32: 809

WAGNER, H.
Schaeffel, F. and Wagner, H. Barn owls have symmetrical accommodation in both eyes, but independent pupillary responses to light 32: 1149
WANG, G.-J.
Tetsuka, H., Katsumi, O., Morandi, A.J., Tetsuka, S., Wang, G.-J. and Hirose, T. Effect of light scatter on the pattern reversal visual evoked response: comparison with psychophysical results 32: 1211

WATAMANIUK, S.N.J.
Watamaniuk, S.N.J. and Duchon, A. The human visual system averages speed information 32: 931
Watamaniuk, S.N.J. and Sekuler, R. Temporal and spatial integration in dynamic random-dot stimuli 32: 2341
WATANABE, T.
Watanabe, T. and Cavanagh, P. Depth capture and transparency of regions bounded by illusory and chromatic contours 32: 527
Watanabe, T., Mori, N. and Nakamura, F. A new superbright LED stimulator: photodiode-feedback design for linearizing and stabilizing emitted light 32: 953
WATTAM-BELL, J.
Wattam-Bell, J. The development of maximum displacement limits for discrimination of motion direction in infancy 32: 621
WEBER, U.
Zanker, J., Mohn, G., Weber, U., Zeitler-Driess, K. and Fahle, M. The development of Vernier acuity in human infants 32: 1557
WEBSTER, W.R.
Webster, W.R., Day, R.H. and Cassell, J.F. Two movement aftereffects: evidence for luminance- and color-movement pathways 32: 2187
DE WEERT, C.M.M.
Troost, J.M., Wei, L. and de Weert, C.M.M. Binocular measurements of chromatic adaptation 32: 1987
WEI, L.
Troost, J.M., Wei, L. and de Weert, C.M.M. Binocular measurements of chromatic adaptation 32: 1987
WEISS, L.-R.
Behrens, F. and Weiss, L.-R. An algorithm separating saccadic from nonsaccadic eye movements automatically by use of the acceleration signal 32: 889
WELCH, L.
McKee, S.P. and Welch, L. The precision of size constancy 32: 1447
WERKHOVEN, P.
Werkhoven, P., Snippe, H.P. and Toet, A. Visual processing of optic acceleration 32: 2313
WERTHEIM, A.H.
Wertheim, A.H. and Bekkering, H. Motion thresholds of briefly visible stimuli increase asymmetrically with age 32: 2379
WESNER, M.F.
Wesner, M.F. and Shevell, S.K. Color perception within a chromatic context: changes in red/green equilibria caused by noncontiguous light 32: 1623
WHITAKER, D.
Whitaker, D., Mäkelä, P., Rovamo, J. and Latham, K. The influence of eccentricity on position and movement acuities as revealed by spatial scaling 32: 1913
Whitaker, D., Rovamo, J., MacVeigh, D. and Mäkelä, P. Spatial scaling of vernier acuity tasks 32: 1481
WHITE, J.M.
White, J.M., Levi, D.M. and Aitsebaomo, A.P. Spatial localization without visual references 32: 513
WHITTLE, P.
Whittle, P. Brightness, discriminability and the "Crispening Effect" 32: 1493
Shevell, S.K., Holliday, I. and Whittle, P. Two separate neural mechanisms of brightness induction 32: 2331
WILLIAMS, D.R.
Macleod, D.I.A., Williams, D.R. and Makous, W. A visual nonlinearity fed by single cones 32: 347
Packer, O. and Williams, D.R. Blurring by fixation eye movements 32: 1931
Galvin, S.J. and Williams, D.R. No aliasing at edges in normal viewing 32: 2251
WILLMOTT, N.J.
Hussain, A.A., Willmott, N.J. and Voaden, M.J. Cyclic GMP, calcium and photoreceptor sensitivity in mice heterozygous for the rod dysplasia gene designated "rd" 32: 29
Hussain, A.A., Willmott, N.J. and Voaden, M.J. Species differences in the response of mammalian photoreceptor cyclic GMP and PIII to a reduction in calcium 32: 809
WILSON, H.R.
Yo, C. and Wilson, H.R. Perceived direction of moving two-dimensional patterns depends on duration, contrast and eccentricity 32: 135
Humanski, R.A. and Wilson, H.R. Spatial frequency mechanisms with Short-Wavelength-Sensitive cone inputs 32: 549
Yo, C. and Wilson, H.R. Moving two-dimensional patterns can capture the perceived directions of lower or higher spatial freqency gratings 32: 1263
WINN, B.
Phillips, N.J., Winn, B. and Gilmartin, B. Absence of pupil response to blur-driven accommodation 32: 1775
WOLFE, J.M.
Wolfe, J.M. "Effortless" texture segmentation and "parallel" visual search are *not* the same thing 32: 757

WOODRUFF, C.J.
Neill, R.A. and Woodruff, C.J. Effects of flicker modulation depth on the detection of changes in target location 32: 173
WRIGHT, K.
Shors, T.J., Wright, K. and Greene, E. Control of interocular suppression as a function of differential image blur 32: 1169
WRIGHT, M.J.
Wright, M.J. and Gurney, K.N. Lower threshold of motion for one and two dimensional patterns in central and peripheral vision 32: 121
WU, S.
Wu, S. Opponent-processing effects on the field spectral sensitivity of pattern-elicited electroretinograms 32: 2031

XU, X.-Z.
Li, C.-Y., Zhou, Y.-X., Pei, X., Qiu, F.-T., Tang, C.-Q. and Xu, X.-Z. Extensive disinhibitory region beyond the classical receptive field of cat retinal ganglion cells 32: 219

YAGER, D.
Yuan, R., Yager, D. and Davis, E.T. Reduction of foveal desensitization with blurred backgrounds 32: 577
YAMADA, M.
Yamada, M., Shigematsu, Y., Umetani, Y. and Saito, T. Dopamine decreases receptive field size of rod-driven horizontal cells in carp retina 32: 1801
YAMAMOTO, F.
Kiryu, J., Yamamoto, F. and Honda, Y. Effects of sodium iodate on the electroretinogram *c*-wave in the cat 32: 2221
YASUI, S.
Yasui, S. On the square root intensity coding at the level of cone photoreceptors 32: 199
YE, M.
Ye, M., Bradley, A., Thibos, L.N. and Zhang, X. The effect of pupil size on chromostereopsis and chromatic diplopia: interaction between the Stiles-Crawford effect and chromatic aberrations 32: 2121
YO, C.
Yo, C. and Wilson, H.R. Perceived direction of moving two-dimensional patterns depends on duration, contrast and eccentricity 32: 135
Yo, C. and Wilson, H.R. Moving two-dimensional patterns can capture the perceived directions of lower or higher spatial freqency gratings 32: 1263
YOSHIDA, A.
Yoshida, A., Kwong, K.K., Chang, C., Karino, K., Iwasaki, T., Buzney, S.M., McMeel, J.W. and Cheng, H.-M. Magnetic resonance microscopy of rabbit eyes 32: 37
YOSHIHARA, K.
Kito, Y., Partridge, J.C., Seidou, M., Narita, K., Hamanaka, T., Michinomae, M., Sekiya, N. and Yoshihara, K. The absorbance spectrum and photosensitivity of a new synthetic "visual pigment" based on 4-hydroxyretinal 32: 3
YOSHIMI, B.
Zaidi, Q., Yoshimi, B., Flanigan, N. and Canova, A. Lateral interactions within color mechanisms in simultaneous induced contrast 32: 1695
YUAN, R.
Yuan, R., Yager, D. and Davis, E.T. Reduction of foveal desensitization with blurred backgrounds 32: 577
YÜCEL, Y.H.
Bonaventure, N., Kim, M.S., Jardon, B. and Yücel, H. Pharmacological study of the chicken's monocular optokinetic nystagmus: effects of GABAergic agonist and antagonists 32: 611
Bonaventure, N., Kim, M.S., Jardon, B. and Yücel, H. Pharmacological study of the chicken's monocular optokinetic nystagmus: involvement of the ON retinal channel evidenced by the glutamatergic separation of ON and OFF pathways 32: 601
Jardon, B., Yücel, Y.H. and Bonaventure N. Directional asymmetry of the frog monocular optokinetic nystagmus: cholinergic modulation 32: 541

ZADNIK, K.
Mutti, D.O., Zadnik, K., Johnson, C.A., Howland, H.C. and Murphy, C.J. Retinoscopic measurement of the refractive state of the rat 32: 583
ZAIDI, Q.
Zaidi, Q., Shapiro, A. and Hood D. The effect of adaptation on the differential sensitivity of the *S*-cone color system 32: 1297

Zaidi, Q., Yoshimi, B., Flanigan, N. and Canova, A. Lateral interactions within color mechanisms in simultaneous induced contrast 32: 1695
Shapiro, A.G. and Zaidi, Q. The effects of prolonged temporal modulation on the differential response of color mechanisms 32: 2065
ZANKER, J.
Zanker, J., Mohn, G., Weber, U., Zeitler-Driess, K. and Fahle, M. The development of Vernier acuity in human infants 32: 1557
ZEE, D.S.
Oohira A. and Zee, D.S. Disconjugate ocular motor adaptation in rhesus monkey 32: 489
ZEITLER-DRIESS, K.
Zanker, J., Mohn, G., Weber, U., Zeitler-Driess, K. and Fahle, M. The development of Vernier acuity in human infants 32: 1557
ZHANG, X.
Ye, M., Bradley, A., Thibos, L.N. and Zhang, X. The effect of pupil size on chromostereopsis and chromatic diplopia: interaction between the Stiles-Crawford effect and chromatic aberrations 32: 2121
ZHOU, Y.-X.
Li, C.-Y., Zhou, Y.-X., Pei, X., Qiu, F.-T., Tang, C.-Q. and Xu, X.-Z. Extensive disinhibitory region beyond the classical receptive field of cat retinal ganglion cells 32: 219
ZRENNER, E.
Reitner, A., Sharpe, L.T. and Zrenner, E. Wavelength discrimination as a function of field intensity, duration and size 32: 179

SUBJECT INDEX

ABERRATION
The influence of chromatic aberration on the static accommodative response 32: 823
The optics of the spherical fish lens 32: 1271
The effect of pupil size on chromostereopsis and chromatic diplopia: interaction between the Stiles-Crawford effect and chromatic aberrations 32: 2121

ABSOLUTE THRESHOLD (*see* DETECTION THRESHOLD)

ACCOMMODATION
The influence of chromatic aberration on the static accommodative response 32: 823
Accommodative hysteresis as a function of target-dark focus separation 32: 925
Barn owls have symmetrical accommodation in both eyes, but independent pupillary responses to light 32: 1149
Absence of pupil response to blur-driven accommodation 32: 1775
Refractive state, corneal curvature, accommodative range and ocular anatomy of the Asian elephant (*Elephas maximus*) 32: 2013

ACUITY (*see also* HYPERACUITY; STEREOPSIS)
Effect of light scatter on the pattern reversal visual evoked response: comparison with psychophysical results 32: 1211
Age-dependent intensity-difference thresholds in pigeons 32: 1249
The two-dimensional shape of spatial interaction zones in the parafovea 32: 1349
The development of Vernier acuity in human infants 32: 1557
Probability summation of acuity in the human infant 32: 1999
The effects of luminance on FPL and VEP acuity in human infants 32: 2005
Visual acuity in the horse 32: 2289

ADAPTATION, CHROMATIC
The effects of colour adaptation and stimulus size on white perception as a function of eccentricity in man 32: 1131
The effect of adaptation on the differential sensitivity of the *S*-cone color system 32: 1297
Color perception within a chromatic context: changes in red/green equilibria caused by noncontiguous light 32: 1623
Peripheral chromatic sensitivity for flashes: a post-receptoral red-green asymmetry 32: 1865
Binocular measurements of chromatic adaptation 32: 1987
The effects of prolonged temporal modulation on the differential response of color mechanisms 32: 2065
Chromatic adaptation to natural and incandescent illuminants 32: 2077
Color discrimination and adaptation 32: 2165
Reversal in the sequence of the Benham colours with a change in the wavelength of illumination 32: 2369

ADAPTATION, DARK
Developmental lead exposure selectively alters the scotopic ERG component of dark and light adaptation and increases rod calcium content 32: 249
Species differences in the response of mammalian photoreceptor cyclic GMP and PIII to a reduction in calcium 32: 809
Losses of flicker sensitivity during dark adaptation: effects of test size and wavelength 32: 1975
Rapid and slow changes in the human cone electroretinogram during light and dark adaptation 32: 2049

ADAPTATION, LIGHT
Developmental lead exposure selectively alters the scotopic ERG component of dark and light adaptation and increases rod calcium content 32: 249
Subtractive processes in light adaptation 32: 323
A visual nonlinearity fed by single cones 32: 347
The effect of light adaptation on scotopic spatial summation in 10-week-old infants 32: 387
Nonconjugate adaptation of human saccades to anisometropic spectacles: meridian-specificity 32: 453
Yuan, R., Yager, D. and Davis, E.T. Reduction of foveal desensitization with blurred backgrounds 32: 577
Quantal noise and decision rules in dynamic models of light adaptation 32: 779
Barn owls have symmetrical accommodation in both eyes, but independent pupillary responses to light 32: 1149
Sawtooth contrast sensitivity: effects of mean illuminance and low temporal frequencies 32: 1239
Modeling the dynamics of light adaptation: the merging of two traditions 32: 1373
Rapid and slow changes in the human cone electroretinogram during light and dark adaptation 32: 2049

ADAPTATION, OCULOMOTOR
The relationship between vestibulo-ocular reflex plasticity and changes in apparent concomitant motion 32: 89
Adaptation of saccades and fixation to bilateral foveal lesions in adult monkey 32: 365
Disconjugate ocular motor adaptation in rhesus monkey 32: 489

ADAPTATION, SPATIAL
Disparity tuning in mechanisms of human stereopsis 32: 1685

Shape discrimination and the judgement of perfect symmetry: dissociation of shape from size 32: 1845

AFTEREFFECTS (*see also* ILLUSION; PERSISTENCE)
Eye movements during motion after-effect 32: 167
Spatial frequency selective mechanisms underlying the motion aftereffect 32: 561
Accommodative hysteresis as a function of target-dark focus separation 32: 925
Visual persistence of figures defined by relative motion 32: 943
Positive motion after-effect induced by bandpass-filtered random-dot kinematograms 32: 1635
The decay of adaptation to spatial contrast: a response to David Rose 32: 1785
A square root law for adaptation to contrast? 32: 1781
Two movement aftereffects: evidence for luminance- and color-movement pathways 32: 2187

AFTERIMAGES (*see* AFTEREFFECTS)

AGING
The effects of ageing on the pattern electroretinogram and visual evoked potential in humans 32: 1199
Age-dependent intensity-difference thresholds in pigeons 32: 1249
Motion thresholds of briefly visible stimuli increase asymmetrically with age 32: 2379

ALIASING
Blurring by fixation eye movements 32: 1931
Ambiguous motion in a two-frame sequence 32: 2195
No aliasing at edges in normal viewing 32: 2251

ALIGNMENT (*see* HYPERACUITY)

AMACRINE CELLS
Neurons immunoreactive to choline acetyltransferase in the turtle retina 32: 2023

AMBLYOPIA
The spatial localization deficit in amblyopia 32: 1319
Binocular integration of contrast information in amblyopia 32: 2135

ANTIBODIES (*see* IMMUNOCHEMISTRY)

APPARENT MOTION (*see* MOVEMENT PERCEPTION (APPARENT MOTION))

BINOCULAR RIVALRY (*see also* SUPPRESSION)
Control of interocular suppression as a function of differential image blur 32: 1169
Failure of rivalry at low contrast: evidence of a suprathreshold binocular summation process 32: 1471

BINOCULAR VISION
Properties of cyclopean motion perception 32: 149
Binocularity of early motion mechanisms: comments on Georgeson and Shackleton 32: 187
No evidence for dichoptic motion sensing: a reply to Carney and Shadlen 32: 193
The role of binocular vision in prehension: a kinematic analysis 32: 1513
The conjugacy of human saccadic eye movements 32: 1677
Binocular measurements of chromatic adaptation 32: 1987
The effect of pupil size on chromostereopsis and chromatic diplopia: interaction between the Stiles-Crawford effect and chromatic aberrations 32: 2121
Binocular integration of contrast information in amblyopia 32: 2135

BRIGHTNESS PERCEPTION
Brightness matching and flicker photometric data obtained over the full mesopic range 32: 533
Brightness, discriminability and the "Crispening Effect" 32: 1493
A multi-channel approach to brightness coding 32: 1565
Lightness induction in the S-cone pathway 32: 1771
Two separate neural mechanisms of brightness induction 32: 2331

BROCA-SULZER EFFECT (*see* BRIGHTNESS PERCEPTION)

CELLS (*see* AMACRINE CELLS; CORTEX; GANGLION CELLS; HORIZONTAL CELLS)

CHANNELS
Temporal properties of human visual filters: number, shapes and spatial covariation 32: 47
Temporal frequency filters in the human peripheral visual field 32: 61
Effects of flicker modulation depth on the detection of changes in target location 32: 173
Two temporal channels or three? A re-evaluation 32: 285
Spatial frequency mechanisms with Short-Wavelength-Sensitive cone inputs 32: 549

Spatial frequency selective mechanisms underlying the motion aftereffect 32: 561
Nonlinear processes in spatial-frequency channel models of perceived texture segregation: effects of sign and amount of contrast 32: 719
Color fusion and flicker fusion frequencies using tritanopic pairs 32: 1417
Disparity tuning in mechanisms of human stereopsis 32: 1685

CHROMATIC ABERRATION (*see* ABERRATION)

CHROMATIC CONTRAST (*see* COLOR CONTRAST)

CHROMATIC INDUCTION (*see* COLOR CONTRAST)

CLINICAL APPLICATIONS
Magnetic resonance microscopy of rabbit eyes 32: 37
Abnormalities of smooth pursuit and saccadic control in schizophrenia and affective disorders 32: 1009
Mobility performance with a pixelized vision system 32: 1367

COGNITION
Spatial and temporal effects of spatial attention on human saccadic eye movements 32: 293
"Effortless" texture segmentation and "parallel" visual search are *not* the same thing 32: 757
The information capacity of visual attention 32: 983
Visual memory for vernier offsets 32: 1033
The role of saccades in the perception of texture patterns 32: 2151

COLOR APPEARANCE
Color induction via non-opponent lateral interactions in the human retina 32: 913
An operational approach to colour constancy 32: 1359
Color perception within a chromatic context: changes in red/green equilibria caused by noncontiguous light 32: 1623
Lateral interactions within color mechanisms in simultaneous induced contrast 32: 1695
Chromatic adaptation to natural and incandescent illuminants 32: 2077
A bidimensional theory of achromatic color vision 32: 2107
Changes in pattern induced flicker colors are mediated by the blue-yellow opponent process 32: 2129
Reversal in the sequence of the Benham colours with a change in the wavelength of illumination 32: 2369

COLOR BLINDNESS (*see* DICHROMACY)

COLOR CODING
Sustained and transient properties of chromatic and luminance systems 32: 1055
The Bezold-Brücke effect in the color vision system of the honeybee 32: 1425
Fourier analysis of the stimuli for pattern-induced flicker colors 32: 1461
Redness from short-wavelength-sensitive cones does not induce greenness 32: 1551
Red-green and yellow-blue opponent-color responses as a function of retinal eccentricity 32: 1955
Losses of flicker sensitivity during dark adaptation: effects of test size and wavelength 32: 1975
Opponent-processing effects on the field spectral sensitivity of pattern-elicited electroretinograms 32: 2031
The effects of prolonged temporal modulation on the differential response of color mechanisms 32: 2065
A bidimensional theory of achromatic color vision 32: 2107
Changes in pattern induced flicker colors are mediated by the blue-yellow opponent process 32: 2129
Color discrimination and adaptation 32: 2165
Monochromatism determined at a long-wavelength/middle-wavelength cone-antagonistic locus 32: 2349

COLOR CONTRAST
Perceptual ambiguity and the short wavelength sensitive visual pathway 32: 399
Absence of smooth motion perception in color vision 32: 483
Depth capture and transparency of regions bounded by illusory and chromatic contours 32: 527
The role of color in the motion system 32: 657
A comparison between colour and luminance contrast in a spatial linking task 32: 709
Effects of colour substitutions upon motion detection in spatially random patterns 32: 815
Sustained and transient properties of chromatic and luminance systems 32: 1055
Visual segmentation of a heterochromatic field into center/surround components 32: 1125
Retinal and cortical activity in human subjects during color flicker fusion 32: 1219
Isoluminant stimuli may not expose the full contribution of color to visual functioning: spatial contrast sensitivity measurements indicate interaction between color and luminance processing 32: 1253
Redness from short-wavelength-sensitive cones does not induce greenness 32: 1551
Color perception within a chromatic context: changes in red/green equilibria caused by noncontiguous light 32: 1623
Lateral interactions within color mechanisms in simultaneous induced contrast 32: 1695
Spectral sensitivities for illusory contour perception: a manifold linkage of chromatic and achromatic cues with the generation of contours 32: 1709

The discrimination of blur in peripheral coloured borders 32: 1719
Heterochromatic fusion nystagmus: its use in estimating chromatic equiluminance in humans and monkeys 32: 1745
Lightness induction in the S-cone pathway 32: 1771
Reaction time distributions and their relationship to the transient/sustained nature of the neural discharge 32: 2087
Two movement aftereffects: evidence for luminance- and color-movement pathways 32: 2187

COLOR DISCRIMINATION
Wavelength discrimination as a function of field intensity, duration and size 32: 179
Color vision in the California sea lion (*Zalophus californianus*) 32: 477
A reduction in stimulus duration can improve wavelength discriminations mediated by short-wave cones 32: 745
The effect of adaptation on the differential sensitivity of the *S*-cone color system 32: 1297
Color discrimination and adaptation 32: 2165

COLOR MATCHING
Color induction via non-opponent lateral interactions in the human retina 32: 913
The Bezold-Brücke effect in the color vision system of the honeybee 32: 1425
Fourier analysis of the stimuli for pattern-induced flicker colors 32: 1461
Color mixing in the pigeon (*Columba livia*) II: a psychophysical determination in the middle, short and near-UV wavelength range 32: 1947
Binocular measurements of chromatic adaptation 32: 1987
Changes in pattern induced flicker colors are mediated by the blue-yellow opponent process 32: 2129
Reversal in the sequence of the Benham colours with a change in the wavelength of illumination 32: 2369
Methodology-specific Rayleigh-match distributions 32: 2375

COLOR OPPONENCY
Red-green and yellow-blue opponent-color responses as a function of retinal eccentricity 32: 1955
Opponent-processing effects on the field spectral sensitivity of pattern-elicited electroretinograms 32: 2031
Monochromatism determined at a long-wavelength/middle-wavelength cone-antagonistic locus 32: 2349

CONES
Cones in the retina of the Mongolian gerbil, *Meriones unguiculatus*: an immunocytochemical and electrophysiological study 32: 19
On the square root intensity coding at the level of cone photoreceptors 32: 199
A visual nonlinearity fed by single cones 32: 347
Noise and the absolute thresholds of cone and rod vision 32: 853
The ratio of L cones to M cones in the human parafoveal retina 32: 879
Color induction via non-opponent lateral interactions in the human retina 32: 913
An intensity-dependent biphasic neuron in mudpuppy retina 32: 1405
Gap junctions between the pedicles of macaque foveal cones 32: 1809
Rapid and slow changes in the human cone electroretinogram during light and dark adaptation 32: 2049

CONTOUR PERCEPTION
Simulation of neural contour mechanisms: from simple to end-stopped cells 32: 963
Spectral sensitivities for illusory contour perception: a manifold linkage of chromatic and achromatic cues with the generation of contours 32: 1709

CONTRAST DISCRIMINATION
Effects of contrast substitutions upon motion detection in spatially random patterns 32: 639

CONTRAST FLASH (*see* MASKING)

CONTRAST PERCEPTION
Perceived direction of moving two-dimensional patterns depends on duration, contrast and eccentricity 32: 135
Spatial frequency discrimination of band-limited periodic targets: effects of stimulus contrast, bandwidth and retinal eccentricity 32: 275
Effects of contrast substitutions upon motion detection in spatially random patterns 32: 639
Nonlinear processes in spatial-frequency channel models of perceived texture segregation: effects of sign and amount of contrast 32: 719
The coding of spatial position by the human visual system: effects of spatial scale and contrast 32: 1085
Visual segmentation of a heterochromatic field into center/surround components 32: 1125
Failure of rivalry at low contrast: evidence of a suprathreshold binocular summation process 32: 1471
Brightness, discriminability and the "Crispening Effect" 32: 1493
Human speed perception is contrast dependent 32: 1535
Visual resolution of motion ambiguity with periodic luminance- and contrast-domain stimuli 32: 2093
"Weber's law" for position: the role of spatial frequency and contrast 32: 2235

CONTRAST SENSITIVITY
A visual nonlinearity fed by single cones 32: 347
Contrast sensitivity as a function of spatial frequency, viewing distance and eccentricity with and without spatial noise 32: 631
Scotopic visual efficiency: constraints by optics, receptor properties, and rod pooling 32: 645
Spatial frequency tuning of facilitation by masks 32: 1143
Infant temporal contrast sensitivity at low temporal frequencies 32: 1157
Temporal contrast sensitivity in human infants 32: 1163
Effect of light scatter on the pattern reversal visual evoked response: comparison with psychophysical results 32: 1211
Sawtooth contrast sensitivity: effects of mean illuminance and low temporal frequencies 32: 1239
Isoluminant stimuli may not expose the full contribution of color to visual functioning: spatial contrast sensitivity measurements indicate interaction between color and luminance processing 32: 1253
The spatial localization deficit in amblyopia 32: 1319
Cortical neurons: isolation of contrast gain control 32: 1409
Failure of rivalry at low contrast: evidence of a suprathreshold binocular summation process 32: 1471
A square root law for adaptation to contrast? 32: 1781
The decay of adaptation to spatial contrast: a response to David Rose 32: 1785
Blurring by fixation eye movements 32: 1931

CORNEA
Refractive state, corneal curvature, accommodative range and ocular anatomy of the Asian elephant (*Elephas maximus*) 32: 2013

CORTEX
Experimental evidence that rearing kittens in stroboscopic light retards maturation of the visual cortex: a new tool for studying critical periods 32: 41
Directionally selective complex cells and the computation of motion energy in cat visual cortex 32: 203
Rapid reorganization of cortical maps in adult cats following restricted deafferentiation in retina 32: 789
Texture segregation is processed by primary visual cortex in man and monkey. Evidence from VEP experiments 32: 797
Simulation of neural contour mechanisms: from simple to end-stopped cells 32: 963
Interneuronal interaction between members of quadrature phase and anti-phase pairs in the cat's visual cortex 32: 1193
Mobility performance with a pixelized vision system 32: 1367
Cortical neurons: isolation of contrast gain control 32: 1409
Analysis of striate activity underlying the pattern onset EP of children 32: 1829

CORTICAL MAGNIFICATION
The effects of colour adaptation and stimulus size on white perception as a function of eccentricity in man 32: 1131
The two-dimensional shape of spatial interaction zones in the parafovea 32: 1349
Spatial scaling of vernier acuity tasks 32: 1481

CRAIK-O'BRIEN EFFECT (*see* CONTOUR PERCEPTION)

DEPTH PERCEPTION
Shape analysis and stereopsis for human depth perception 32: 499
Depth capture and transparency of regions bounded by illusory and chromatic contours 32: 527
Retinal speed gradients and the perception of surface slant 32: 587
Depth discrimination of a line is improved by adding other nearby lines 32: 1667

DETECTION THRESHOLD
Noise and the absolute thresholds of cone and rod vision 32: 853

DEUTERANOPIA (*see* DICHROMACY)

DEVELOPMENT
Experimental evidence that rearing kittens in stroboscopic light retards maturation of the visual cortex: a new tool for studying critical periods 32: 41
The effect of light adaptation on scotopic spatial summation in 10-week-old infants 32: 387
The development of maximum displacement limits for discrimination of motion direction in infancy 32: 621
Normal development of refractive state and ocular component dimensions in the tree shrew (*Tupaia belangeri*) 32: 833
The development of experimental myopia and ocular component dimensions in monocularly lid-sutured tree shrews (*Tupaia belangeri*) 32: 843
The development of the temporal and nasal visual fields during infancy 32: 903
Infant temporal contrast sensitivity at low temporal frequencies 32: 1157
Temporal contrast sensitivity in human infants 32: 1163
The development of Vernier acuity in human infants 32: 1557
Development of temporal properties of pattern electroretinogram and visual evoked potentials in infants 32: 1609

Spatiotemporal factors in infant position sensitivity: single bar stimuli 32: 1761
Orientation selectivity of 3-month-old infants 32: 1817
Analysis of striate activity underlying the pattern onset EP of children 32: 1829
Probability summation of acuity in the human infant 32: 1999
The effects of luminance on FPL and VEP acuity in human infants 32: 2005
Thyroxine induces a precocial loss of ultraviolet photosensitivity in rainbow trout (*Oncorhynchus mykiss*, Teleostei) 32: 2303

DICHROMACY
Effects of colour substitutions upon motion detection in spatially random patterns 32: 815
Retinal and cortical activity in human subjects during color flicker fusion 32: 1219
Sawtooth contrast sensitivity: effects of mean illuminance and low temporal frequencies 32: 1239
Color mixing in the pigeon (*Columba livia*) II: a psychophysical determination in the middle, short and near-UV wavelength range 32: 1947

DIPLOPIA (*see* BINOCULAR VISION)

DIRECTIONAL SELECTIVITY
Directionally selective complex cells and the computation of motion energy in cat visual cortex 32: 203
Motion coherency rules are form-cue invariant 32: 465
The effect of pupil size on chromostereopsis and chromatic diplopia: interaction between the Stiles-Crawford effect and chromatic aberrations 32: 2121

DIRECTIONAL SENSITIVITY (MOTION) (*see* MOVEMENT PERCEPTION (DIRECTIONAL SENSITIVITY))

DISPARITY (*see* BINOCULAR VISION; STEREOPSIS)

ECCENTRICITY (*see* PERIPHERAL VISION)

ELECTRORETINOGRAM
Evidence for two distinct nonlinear components in the human pattern ERG 32: 11
Cones in the retina of the Mongolian gerbil, *Meriones unguiculatus*: an immunocytochemical and electrophysiological study 32: 19
The different contributions of local luminance decreases and increases to the pattern electroretinogram (PERG) 32: 229
Developmental lead exposure selectively alters the scotopic ERG component of dark and light adaptation and increases rod calcium content 32: 249
Study of retinal dystrophy in RCS rats: a comparison of Mg-ATP dependent light scattering activity and ERG *b*-wave 32: 425
The field topography of ERG components in man--I. The photopic luminance response 32: 433
Pharmacological study of the chicken's monocular optokinetic nystagmus: involvement of the ON retinal channel evidenced by the glutamatergic separation of ON and OFF pathways 32: 601
The effects of ageing on the pattern electroretinogram and visual evoked potential in humans 32: 1199
Retinal and cortical activity in human subjects during color flicker fusion 32: 1219
On the relation between ERG waves and retinal function: inverted rod photoresponses from the frog retina 32: 1411
Development of temporal properties of pattern electroretinogram and visual evoked potentials in infants 32: 1609
Opponent-processing effects on the field spectral sensitivity of pattern-elicited electroretinograms 32: 2031
Temporal frequency dependent adaptation at the level of the outer retina in humans 32: 2043
Rapid and slow changes in the human cone electroretinogram during light and dark adaptation 32: 2049
Effects of sodium iodate on the electroretinogram *c*-wave in the cat 32: 2221

ENTOPTIC PHENOMENA
Optical density spectra of the macular pigment *in vivo* and *in vitro* 32: 105

EVOKED POTENTIALS
The different contributions of local luminance decreases and increases to the pattern electroretinogram (PERG) 32: 229
Electro-physiological investigation of edge-selective mechanisms of human vision 32: 239
The Laplacian of the scalp potential field: physical interpretation and practical utility 32: 257
The 2dim-Laplacian field is not suitable to localize sources of EEG activity 32: 261
Electrophysiological correlates of texture segregation in the human visual evoked potential 32: 417
Electrical responses to short-range kinematogram displays: an occipital lobe global motion process in humans? 32: 447
The phase of PVEP in Maxwellian view: influence of contrast, spatial and temporal frequency 32: 591
Texture segregation is processed by primary visual cortex in man and monkey. Evidence from VEP experiments 32: 797
The effects of ageing on the pattern electroretinogram and visual evoked potential in humans 32: 1199
Effect of light scatter on the pattern reversal visual evoked response: comparison with psychophysical results 32: 1211
Retinal and cortical activity in human subjects during color flicker fusion 32: 1219

An analysis of the VEP to luminance modulation and of its nonlinearity 32: 1395
Development of temporal properties of pattern electroretinogram and visual evoked potentials in infants 32: 1609
Orientation selectivity of 3-month-old infants 32: 1817
Analysis of striate activity underlying the pattern onset EP of children 32: 1829
The effects of luminance on FPL and VEP acuity in human infants 32: 2005

EYE-MOVEMENTS
Extraocular muscle forces in alert monkey 32: 1099
Calibration of three-dimensional eye position using search coil signals in the rhesus monkey 32: 1647
Blurring by fixation eye movements 32: 1931

EYE-MOVEMENTS, OPTOKINETIC NYSTAGMUS
Influence of gravitoinertial force level on vestibular and visual velocity storage in yaw and pitch 32: 111
Eye movements during motion after-effect 32: 167
Directional asymmetry of the frog monocular optokinetic nystagmus: cholinergic modulation 32: 541
Pharmacological study of the chicken's monocular optokinetic nystagmus: involvement of the ON retinal channel evidenced by the glutamatergic separation of ON and OFF pathways 32: 601
Pharmacological study of the chicken's monocular optokinetic nystagmus: effects of GABAergic agonist and antagonists 32: 611
An algorithm separating saccadic from nonsaccadic eye movements automatically by use of the acceleration signal 32: 889
Visual suppression of torsional vestibular nystagmus in rhesus monkeys 32: 1067
Visual remapping in infantile nystagmus 32: 1115
Heterochromatic fusion nystagmus: its use in estimating chromatic equiluminance in humans and monkeys 32: 1745

EYE-MOVEMENTS, SACCADIC
Spatial and temporal effects of spatial attention on human saccadic eye movements 32: 293
Adaptation of saccades and fixation to bilateral foveal lesions in adult monkey 32: 365
Nonconjugate adaptation of human saccades to anisometropic spectacles: meridian-specificity 32: 453
Disconjugate ocular motor adaptation in rhesus monkey 32: 489
An algorithm separating saccadic from nonsaccadic eye movements automatically by use of the acceleration signal 32: 889
Reading without saccadic eye movements 32: 895
Abnormalities of smooth pursuit and saccadic control in schizophrenia and affective disorders 32: 1009
Lateral motion bias associated with reading direction 32: 1137
The conjugacy of human saccadic eye movements 32: 1677
Psychophysical and saccadic information about direction for briefly presented visual targets 32: 1729
Rotation of Listing's plane during vergence 32: 2055
The role of saccades in the perception of texture patterns 32: 2151
The remarkable saccades of asymmetrical vergence 32: 2261

EYE-MOVEMENTS, SMOOTH PURSUIT
Predictive smooth pursuit eye movements near abrupt changes in motion direction 32: 675
Abnormalities of smooth pursuit and saccadic control in schizophrenia and affective disorders 32: 1009
Three-dimensional properties of human pursuit eye movements 32: 1225
Motion thresholds of briefly visible stimuli increase asymmetrically with age 32: 2379

EYE-MOVEMENTS, TORSIONAL
Eye movements during motion after-effect 32: 167
Visual suppression of torsional vestibular nystagmus in rhesus monkeys 32: 1067
Three-dimensional properties of human pursuit eye movements 32: 1225
Static roll and pitch in the monkey: shift and rotation of Listing's plane 32: 1341
van Rijn, L.J., VAN DER Steen, J. and Collewijn, H. Visually induced cycloversion and cyclovergence 32: 1875
Rotation of Listing's plane during vergence 32: 2055

EYE-MOVEMENTS, VERGENCE
Disconjugate ocular motor adaptation in rhesus monkey 32: 489
Changes in vestibulo-ocular reflex (VOR) anticipate changes in vergence angle in monkey 32: 569
Visually induced cycloversion and cyclovergence 32: 1875
Rotation of Listing's plane during vergence 32: 2055
The remarkable saccades of asymmetrical vergence 32: 2261

EYE-MOVEMENTS, VESTIBULO-OCULAR
The relationship between vestibulo-ocular reflex plasticity and changes in apparent concomitant motion 32: 89
Influence of gravitoinertial force level on vestibular and visual velocity storage in yaw and pitch 32: 111
Changes in vestibulo-ocular reflex (VOR) anticipate changes in vergence angle in monkey 32: 569
Visual suppression of torsional vestibular nystagmus in rhesus monkeys 32: 1067

Static roll and pitch in the monkey: shift and rotation of Listing's plane 32: 1341

FEATURE DETECTION
Electro-physiological investigation of edge-selective mechanisms of human vision 32: 239
Configural effects constrain Fourier models of pattern discrimination 32: 1885

FLICKER
Effects of flicker modulation depth on the detection of changes in target location 32: 173
Motion coherency rules are form-cue invariant 32: 465
Brightness matching and flicker photometric data obtained over the full mesopic range 32: 533
Color induction via non-opponent lateral interactions in the human retina 32: 913
Retinal and cortical activity in human subjects during color flicker fusion 32: 1219
Color fusion and flicker fusion frequencies using tritanopic pairs 32: 1417
Fourier analysis of the stimuli for pattern-induced flicker colors 32: 1461
Heterochromatic fusion nystagmus: its use in estimating chromatic equiluminance in humans and monkeys 32: 1745
Losses of flicker sensitivity during dark adaptation: effects of test size and wavelength 32: 1975

FORM PERCEPTION
Perceptual ambiguity and the short wavelength sensitive visual pathway 32: 399
Pattern recognition in honeybees: multidimensional scaling reveals a city-block metric 32: 1837
Shape discrimination and the judgement of perfect symmetry: dissociation of shape from size 32: 1845
No aliasing at edges in normal viewing 32: 2251

GAIN CONTROL
Cortical neurons: isolation of contrast gain control 32: 1409

GANGLION CELLS
Extensive disinhibitory region beyond the classical receptive field of cat retinal ganglion cells 32: 219
The rod-cone shift and its effect on ganglion cells in the cat's retina 32: 2209

GRATINGS
Responses of cat horizontal cells to sinusoidal gratings 32: 997

HAIDINGER'S BRUSHES (*see* ENTOPTIC PHENOMENA)

HISTOCHEMISTRY (*see* NEUROCHEMISTRY)

HORIZONTAL CELLS
Color induction via non-opponent lateral interactions in the human retina 32: 913
Responses of cat horizontal cells to sinusoidal gratings 32: 997
An intensity-dependent biphasic neuron in mudpuppy retina 32: 1405
Dopamine decreases receptive field size of rod-driven horizontal cells in carp retina 32: 1801

HYPERACUITY
Visual memory for vernier offsets 32: 1033
The precision of size constancy 32: 1447
Spatial scaling of vernier acuity tasks 32: 1481
The development of Vernier acuity in human infants 32: 1557
Depth discrimination of a line is improved by adding other nearby lines 32: 1667
Spatiotemporal factors in infant position sensitivity: single bar stimuli 32: 1761
Shape discrimination and the judgement of perfect symmetry: dissociation of shape from size 32: 1845
The influence of eccentricity on position and movement acuities as revealed by spatial scaling 32: 1913
"Weber's law" for position: the role of spatial frequency and contrast 32: 2235

ILLUSION (*see also* AFTEREFFECTS)
Misdirected visual motion in the peripheral visual field 32: 73
Depth capture and transparency of regions bounded by illusory and chromatic contours 32: 527
Spectral sensitivities for illusory contour perception: a manifold linkage of chromatic and achromatic cues with the generation of contours 32: 1709
Motion thresholds of briefly visible stimuli increase asymmetrically with age 32: 2379

ILLUSORY CONTOURS (*see* ILLUSION)

IMAGE QUALITY
The optics of the spherical fish lens 32: 1271

IMMUNOCHEMISTRY
Cones in the retina of the Mongolian gerbil, *Meriones unguiculatus*: an immunocytochemical and electrophysiological study 32: 19

Retinal perivascular astroglia: an immunoperoxidase study 32: 1601
Neurons immunoreactive to choline acetyltransferase in the turtle retina 32: 2023

INCREMENT THRESHOLD
Competing motion paths in sequence of random dot patterns 32: 157
Subtractive processes in light adaptation 32: 323
Reduction of foveal desensitization with blurred backgrounds 32: 577
Age-dependent intensity-difference thresholds in pigeons 32: 1249
Peripheral chromatic sensitivity for flashes: a post-receptoral red-green asymmetry 32: 1865
Opponent-processing effects on the field spectral sensitivity of pattern-elicited electroretinograms 32: 2031
Monochromatism determined at a long-wavelength/middle-wavelength cone-antagonistic locus 32: 2349

INTEROCULAR TRANSFER (*see* AFTEREFFECTS)

LATENCY (*see* REACTION TIME)

LATERAL INHIBITION
Interneuronal interaction between members of quadrature phase and anti-phase pairs in the cat's visual cortex 32: 1193

LENS
The optics of the spherical fish lens 32: 1271
Spectral transmittance of the rat lens 32: 1509
Scotopic spectral sensitivity of phakic and aphakic observers extending into the near ultraviolet 32: 1739

LIGHT DAMAGE
Spectral transmittance of the rat lens 32: 1509

LUMINANCE
The different contributions of local luminance decreases and increases to the pattern electroretinogram (PERG) 32: 229
The field topography of ERG components in man--I. The photopic luminance response 32: 433
A comparison between colour and luminance contrast in a spatial linking task 32: 709
Effects of colour substitutions upon motion detection in spatially random patterns 32: 815
Sustained and transient properties of chromatic and luminance systems 32: 1055
Visual segmentation of a heterochromatic field into center/surround components 32: 1125
Isoluminant stimuli may not expose the full contribution of color to visual functioning: spatial contrast sensitivity measurements indicate interaction between color and luminance processing 32: 1253
An analysis of the VEP to luminance modulation and of its nonlinearity 32: 1395
Color fusion and flicker fusion frequencies using tritanopic pairs 32: 1417
Brightness, discriminability and the "Crispening Effect" 32: 1493
Lightness induction in the S-cone pathway 32: 1771
Visual resolution of motion ambiguity with periodic luminance- and contrast-domain stimuli 32: 2093
Two movement aftereffects: evidence for luminance- and color-movement pathways 32: 2187

MACH BANDS (*see* CONTOUR PERCEPTION)

MACULAR PIGMENT
Optical density spectra of the macular pigment *in vivo* and *in vitro* 32: 105
Red-green and yellow-blue opponent-color responses as a function of retinal eccentricity 32: 1955

MASKING
Human sensitivity to expanding and rotating motion: effects of complementary masking and directional structure 32: 81
Effects of lateral masking and spatial precueing on gap-resolution in central and peripheral vision 32: 771
Spatial frequency tuning of facilitation by masks 32: 1143
Binocular integration of contrast information in amblyopia 32: 2135

MCCOLLOUGH EFFECT (*see* AFTEREFFECTS)

MEMORY (*see* COGNITION)

MESOPIC VISION
Brightness matching and flicker photometric data obtained over the full mesopic range 32: 533

METACONTRAST (*see* MASKING)

MOLECULAR BIOLOGY
The relationship between cone pigments and behavioural sensitivity in a New World monkey (*Callithrix jacchus jacchus*) 32: 867

MONOCHROMACY
Monochromatism determined at a long-wavelength/middle-wavelength cone-antagonistic locus 32: 2349

MONOCULAR VISION
Pharmacological study of the chicken's monocular optokinetic nystagmus: involvement of the ON retinal channel evidenced by the glutamatergic separation of ON and OFF pathways 32: 601
Pharmacological study of the chicken's monocular optokinetic nystagmus: effects of GABAergic agonist and antagonists 32: 611
The role of binocular vision in prehension: a kinematic analysis 32: 1513

MORPHOLOGY (*see* NEUROANATOMY)

MOVEMENT PERCEPTION
Experimental evidence that rearing kittens in stroboscopic light retards maturation of the visual cortex: a new tool for studying critical periods 32: 41
DiZio, P. and Lackner, J.R. Influence of gravitoinertial force level on vestibular and visual velocity storage in yaw and pitch 32: 111
Lower threshold of motion for one and two dimensional patterns in central and peripheral vision 32: 121
Eye movements during motion after-effect 32: 167
The influence of terminators on motion integration across space 32: 263
Coherence of plaids comprising components of disparate spatial frequencies 32: 393
Spatial frequency selective mechanisms underlying the motion aftereffect 32: 561
Effects of colour substitutions upon motion detection in spatially random patterns 32: 815
A square root law for adaptation to contrast? 32: 1781
Visual persistence of figures defined by relative motion 32: 943
Positive motion after-effect induced by bandpass-filtered random-dot kinematograms 32: 1635
Dissociation of orientation discrimination from form detection for motion-defined bars and luminance-defined bars: effects of dot lifetime and presentation duration 32: 1655
Spatiotemporal factors in infant position sensitivity: single bar stimuli 32: 1761
Two movement aftereffects: evidence for luminance- and color-movement pathways 32: 2187

MOVEMENT PERCEPTION (APPARENT MOTION)
Effects of flicker modulation depth on the detection of changes in target location 32: 173
Binocularity of early motion mechanisms: comments on Georgeson and Shackleton 32: 187
Georgeson, M.A. and Shackleton, T.M. No evidence for dichoptic motion sensing: a reply to Carney and Shadlen 32: 193
Electrical responses to short-range kinematogram displays: an occipital lobe global motion process in humans? 32: 447
The development of maximum displacement limits for discrimination of motion direction in infancy 32: 621
Analysis of the motion of 2-dimensional patterns: evidence for a second-order process 32: 699
The effects of common movement and spatial separation on position- and motion-based judgments of relative movement 32: 1043
Lateral motion bias associated with reading direction 32: 1137
Inhibitory interaction in a split/fusion apparent motion: lack of spatial-frequency selectivity 32: 1523
The influence of eccentricity on position and movement acuities as revealed by spatial scaling 32: 1913
Visual resolution of motion ambiguity with periodic luminance- and contrast-domain stimuli 32: 2093
Derrington, A.M. and Cox, M.J. Errorless performance in a two-frame apparent motion task using high contrast stimuli, a failure to replicate Cleary (1990) 32: 2191
Ambiguous motion in a two-frame sequence 32: 2195

MOVEMENT PERCEPTION (DIRECTIONAL SENSITIVITY)
Misdirected visual motion in the peripheral visual field 32: 73
The relationship between vestibulo-ocular reflex plasticity and changes in apparent concomitant motion 32: 89
Directional acuity for drifting plaids 32: 97
Perceived direction of moving two-dimensional patterns depends on duration, contrast and eccentricity 32: 135
Properties of cyclopean motion perception 32: 149
Competing motion paths in sequence of random dot patterns 32: 157
Motion coherency rules are form-cue invariant 32: 465
Absence of smooth motion perception in color vision 32: 483
The development of maximum displacement limits for discrimination of motion direction in infancy 32: 621
Effects of contrast substitutions upon motion detection in spatially random patterns 32: 639
The role of color in the motion system 32: 657
Two-stage analysis of the motion of 2-dimensional patterns, what is the first stage? 32: 691
Analysis of the motion of 2-dimensional patterns: evidence for a second-order process 32: 699
The perception of globally coherent motion 32: 1015

Moving two-dimensional patterns can capture the perceived directions of lower or higher spatial freqency gratings 32: 1263
Human speed perception is contrast dependent 32: 1535
Positive motion after-effect induced by bandpass-filtered random-dot kinematograms 32: 1635
Extrapolation of linear motion 32: 2177
Errorless performance in a two-frame apparent motion task using high contrast stimuli, a failure to replicate Cleary (1990) 32: 2191
Ambiguous motion in a two-frame sequence 32: 2195
Visual processing of optic acceleration 32: 2313
Temporal and spatial integration in dynamic random-dot stimuli 32: 2341

MOVEMENT PERCEPTION (OPTIC FLOW)
Human sensitivity to expanding and rotating motion: effects of complementary masking and directional structure 32: 81
Retinal speed gradients and the perception of surface slant 32: 587
The perception of globally coherent motion 32: 1015
Recovering heading for visually-guided navigation 32: 1177
Robustness of perception of heading from optic flow 32: 1285
Simple-pooling of unidirectional motion predicts speed discrimination for looming stimuli 32: 2277

MOVEMENT PERCEPTION (SPEED SENSITIVITY)
Absence of smooth motion perception in color vision 32: 483
The role of color in the motion system 32: 657
Two-stage analysis of the motion of 2-dimensional patterns, what is the first stage? 32: 691
Analysis of the motion of 2-dimensional patterns: evidence for a second-order process 32: 699
The human visual system averages speed information 32: 931
The perception of globally coherent motion 32: 1015
Human speed perception is contrast dependent 32: 1535
The relation between the velocity of visual motion and the reaction time to motion onset and offset 32: 1789
Simple-pooling of unidirectional motion predicts speed discrimination for looming stimuli 32: 2277
Visual processing of optic acceleration 32: 2313

NEUROANATOMY
Retinal perivascular astroglia: an immunoperoxidase study 32: 1601
Gap junctions between the pedicles of macaque foveal cones 32: 1809
Neurons immunoreactive to choline acetyltransferase in the turtle retina 32: 2023

NEUROCHEMISTRY
Developmental lead exposure selectively alters the scotopic ERG component of dark and light adaptation and increases rod calcium content 32: 249
Directional asymmetry of the frog monocular optokinetic nystagmus: cholinergic modulation 32: 541
Pharmacological study of the chicken's monocular optokinetic nystagmus: involvement of the ON retinal channel evidenced by the glutamatergic separation of ON and OFF pathways 32: 601
Pharmacological study of the chicken's monocular optokinetic nystagmus: effects of GABAergic agonist and antagonists 32: 611
Retinal perivascular astroglia: an immunoperoxidase study 32: 1601
Dopamine decreases receptive field size of rod-driven horizontal cells in carp retina 32: 1801

NEUROTRANSMITTER (*see* NEUROCHEMISTRY)

NOISE
Lower threshold of motion for one and two dimensional patterns in central and peripheral vision 32: 121
On binocular unmasking of signals in noise: further tests of the summation hypothesis 32: 375
Spatial localization without visual references 32: 513
Contrast sensitivity as a function of spatial frequency, viewing distance and eccentricity with and without spatial noise 32: 631
Quantal noise and decision rules in dynamic models of light adaptation 32: 779
Noise and the absolute thresholds of cone and rod vision 32: 853
Robustness of perception of heading from optic flow 32: 1285
Dynamic noise backgrounds facilitate target fading 32: 1941

OBITUARY
Professor Tsuneo Tomita 32: 1

OCULAR DIMENSIONS
Normal development of refractive state and ocular component dimensions in the tree shrew (*Tupaia belangeri*) 32: 833

The development of experimental myopia and ocular component dimensions in monocularly lid-sutured tree shrews (*Tupaia belangeri*) 32: 843
Refractive state, corneal curvature, accommodative range and ocular anatomy of the Asian elephant (*Elephas maximus*) 32: 2013
Visual acuity in the horse 32: 2289

ORIENTATION PERCEPTION
Directional acuity for drifting plaids 32: 97
Electrophysiological correlates of texture segregation in the human visual evoked potential 32: 417
On the scaling of size judgements by orientational cues 32: 1433
Dissociation of orientation discrimination from form detection for motion-defined bars and luminance-defined bars: effects of dot lifetime and presentation duration 32: 1655
The contributions of figure and ground textures to segmentation 32: 1793
Orientation selectivity of 3-month-old infants 32: 1817
Configural effects constrain Fourier models of pattern discrimination 32: 1885
Segregation of mesh-derived textures evaluated by resistance to added disorder 32: 1899
Orientation bandwidth: the effect of spatial and temporal frequency 32: 1965

PATHOLOGY
Study of retinal dystrophy in RCS rats: a comparison of Mg-ATP dependent light scattering activity and ERG *b*-wave 32: 425

PERIPHERAL VISION
Temporal frequency filters in the human peripheral visual field 32: 61
Misdirected visual motion in the peripheral visual field 32: 73
Lower threshold of motion for one and two dimensional patterns in central and peripheral vision 32: 121
Perceived direction of moving two-dimensional patterns depends on duration, contrast and eccentricity 32: 135
Spatial frequency discrimination of band-limited periodic targets: effects of stimulus contrast, bandwidth and retinal eccentricity 32: 275
Spatial localization without visual references 32: 513
Contrast sensitivity as a function of spatial frequency, viewing distance and eccentricity with and without spatial noise 32: 631
Effects of lateral masking and spatial precueing on gap-resolution in central and peripheral vision 32: 771
The ratio of L cones to M cones in the human parafoveal retina 32: 879
The development of the temporal and nasal visual fields during infancy 32: 903
Is the visual field temporally homogeneous? 32: 1075
The effects of colour adaptation and stimulus size on white perception as a function of eccentricity in man 32: 1131
The two-dimensional shape of spatial interaction zones in the parafovea 32: 1349
Spatial scaling of vernier acuity tasks 32: 1481
The discrimination of blur in peripheral coloured borders 32: 1719
Peripheral chromatic sensitivity for flashes: a post-receptoral red-green asymmetry 32: 1865
The influence of eccentricity on position and movement acuities as revealed by spatial scaling 32: 1913
Red-green and yellow-blue opponent-color responses as a function of retinal eccentricity 32: 1955
Losses of flicker sensitivity during dark adaptation: effects of test size and wavelength 32: 1975
No aliasing at edges in normal viewing 32: 2251

PERSISTENCE (*see also* AFTEREFFECTS)
Visual persistence of figures defined by relative motion 32: 943

PHOTOCHEMISTRY
Cyclic GMP, calcium and photoreceptor sensitivity in mice heterozygous for the rod dysplasia gene designated "rd" 32: 29
The light-induced rise in cytosolic calcium starts later than the receptor current of the *Limulus* ventral photoreceptor 32: 403
Species differences in the response of mammalian photoreceptor cyclic GMP and PIII to a reduction in calcium 32: 809

PHOTOPIGMENTS
The absorbance spectrum and photosensitivity of a new synthetic "visual pigment" based on 4-hydroxyretinal 32: 3
Cones in the retina of the Mongolian gerbil, *Meriones unguiculatus*: an immunocytochemical and electrophysiological study 32: 19
The relationship between cone pigments and behavioural sensitivity in a New World monkey (*Callithrix jacchus jacchus*) 32: 867
The eyespot of *Euglena gracilis*: a microspectrophotometric study 32: 1583
The eyespot of *Chlamydomonas reinhardtii*: a comparative microspectrophotometric study 32: 1593
Color mixing in the pigeon (*Columba livia*) II: a psychophysical determination in the middle, short and near-UV wavelength range 32: 1947

Vitamin A_2-based visual pigments in fully terrestrial vertebrates 32: 2201
Thyroxine induces a precocial loss of ultraviolet photosensitivity in rainbow trout (*Oncorhynchus mykiss*, Teleostei) 32: 2303

PHOTORECEPTORS (*see also* CONES; RODS)
On the square root intensity coding at the level of cone photoreceptors 32: 199
The light-induced rise in cytosolic calcium starts later than the receptor current of the *Limulus* ventral photoreceptor 32: 403
Scotopic visual efficiency: constraints by optics, receptor properties, and rod pooling 32: 645
Vitamin A_2-based visual pigments in fully terrestrial vertebrates 32: 2201

PIGMENT EPITHELIUM
Retinal speed gradients and the perception of surface slant 32: 587
Effects of sodium iodate on the electroretinogram *c*-wave in the cat 32: 2221

PLASTICITY
Rapid reorganization of cortical maps in adult cats following restricted deafferentiation in retina 32: 789

PROTANOPIA (*see* DICHROMACY)

PUPILS
Detection of eyeshine by flashlight fishes of the family Anomalopidae 32: 765
Barn owls have symmetrical accommodation in both eyes, but independent pupillary responses to light 32: 1149
Absence of pupil response to blur-driven accommodation 32: 1775
The effect of pupil size on chromostereopsis and chromatic diplopia: interaction between the Stiles-Crawford effect and chromatic aberrations 32: 2121

REACTION TIME
Effects of flicker modulation depth on the detection of changes in target location 32: 173
Sustained and transient properties of chromatic and luminance systems 32: 1055
The relation between the velocity of visual motion and the reaction time to motion onset and offset 32: 1789
Reaction time distributions and their relationship to the transient/sustained nature of the neural discharge 32: 2087

READING
Reading without saccadic eye movements 32: 895
Lateral motion bias associated with reading direction 32: 1137

RECEPTIVE FIELDS (*see also individual cell types*)
Extensive disinhibitory region beyond the classical receptive field of cat retinal ganglion cells 32: 219
Reduction of foveal desensitization with blurred backgrounds 32: 577
Interneuronal interaction between members of quadrature phase and anti-phase pairs in the cat's visual cortex 32: 1193
Cortical neurons: isolation of contrast gain control 32: 1409
Dopamine decreases receptive field size of rod-driven horizontal cells in carp retina 32: 1801
A bidimensional theory of achromatic color vision 32: 2107
The rod-cone shift and its effect on ganglion cells in the cat's retina 32: 2209

RECEPTOR POTENTIAL (*see* CONES; ELECTRORETINOGRAM; PHOTORECEPTORS; RODS)

REFRACTION
Retinoscopic measurement of the refractive state of the rat 32: 583
Normal development of refractive state and ocular component dimensions in the tree shrew (*Tupaia belangeri*) 32: 833
The development of experimental myopia and ocular component dimensions in monocularly lid-sutured tree shrews (*Tupaia belangeri*) 32: 843
The optics of the spherical fish lens 32: 1271
Refractive state, corneal curvature, accommodative range and ocular anatomy of the Asian elephant (*Elephas maximus*) 32: 2013

RETINAL DISEASE (*see* PATHOLOGY)

ROD-CONE INTERACTION (*see* CONES; RODS)

RODS
Cones in the retina of the Mongolian gerbil, *Meriones unguiculatus*: an immunocytochemical and electrophysiological study 32: 19
Cyclic GMP, calcium and photoreceptor sensitivity in mice heterozygous for the rod dysplasia gene designated "rd" 32: 29
Developmental lead exposure selectively alters the scotopic ERG component of dark and light adaptation and increases rod calcium content 32: 249

Study of retinal dystrophy in RCS rats: a comparison of Mg-ATP dependent light scattering activity and ERG *b*-wave 32: 425
Scotopic visual efficiency: constraints by optics, receptor properties, and rod pooling 32: 645
Noise and the absolute thresholds of cone and rod vision 32: 853
On the relation between ERG waves and retinal function: inverted rod photoresponses from the frog retina 32: 1411
Dopamine decreases receptive field size of rod-driven horizontal cells in carp retina 32: 1801

SACCADES (*see* EYE-MOVEMENTS, SACCADIC)

SACCADIC SUPPRESSION (*see* SUPPRESSION)

SCHEMATIC EYE (*see* OCULAR DIMENSIONS)

SCOTOPIC VISION
Scotopic visual efficiency: constraints by optics, receptor properties, and rod pooling 32: 645

SHORT-WAVELENGTH-SENSITIVE PATHWAY
Perceptual ambiguity and the short wavelength sensitive visual pathway 32: 399
Spatial frequency mechanisms with Short-Wavelength-Sensitive cone inputs 32: 549
A reduction in stimulus duration can improve wavelength discriminations mediated by short-wave cones 32: 745
The relationship between cone pigments and behavioural sensitivity in a New World monkey (*Callithrix jacchus jacchus*) 32: 867
The effect of adaptation on the differential sensitivity of the *S*-cone color system 32: 1297
Color fusion and flicker fusion frequencies using tritanopic pairs 32: 1417
Redness from short-wavelength-sensitive cones does not induce greenness 32: 1551
Lightness induction in the S-cone pathway 32: 1771
Red-green and yellow-blue opponent-color responses as a function of retinal eccentricity 32: 1955

SIZE PERCEPTION
On the scaling of size judgements by orientational cues 32: 1433
The precision of size constancy 32: 1447
The role of binocular vision in prehension: a kinematic analysis 32: 1513
Pattern recognition in honeybees: multidimensional scaling reveals a city-block metric 32: 1837

SPATIAL FREQUENCY
Evidence for two distinct nonlinear components in the human pattern ERG 32: 11
Directionally selective complex cells and the computation of motion energy in cat visual cortex 32: 203
The different contributions of local luminance decreases and increases to the pattern electroretinogram (PERG) 32: 229
Spatial frequency discrimination of band-limited periodic targets: effects of stimulus contrast, bandwidth and retinal eccentricity 32: 275
Coherence of plaids comprising components of disparate spatial frequencies 32: 393
Spatial frequency selective mechanisms underlying the motion aftereffect 32: 561
The phase of PVEP in Maxwellian view: influence of contrast, spatial and temporal frequency 32: 591
Quantal noise and decision rules in dynamic models of light adaptation 32: 779
Responses of cat horizontal cells to sinusoidal gratings 32: 997
The coding of spatial position by the human visual system: effects of spatial scale and contrast 32: 1085
Spatial frequency tuning of facilitation by masks 32: 1143
The effects of ageing on the pattern electroretinogram and visual evoked potential in humans 32: 1199
Isoluminant stimuli may not expose the full contribution of color to visual functioning: spatial contrast sensitivity measurements indicate interaction between color and luminance processing 32: 1253
Moving two-dimensional patterns can capture the perceived directions of lower or higher spatial freqency gratings 32: 1263
Cortical neurons: isolation of contrast gain control 32: 1409
Failure of rivalry at low contrast: evidence of a suprathreshold binocular summation process 32: 1471
Inhibitory interaction in a split/fusion apparent motion: lack of spatial-frequency selectivity 32: 1523
Positive motion after-effect induced by bandpass-filtered random-dot kinematograms 32: 1635
The discrimination of blur in peripheral coloured borders 32: 1719
Shape discrimination and the judgement of perfect symmetry: dissociation of shape from size 32: 1845
Configural effects constrain Fourier models of pattern discrimination 32: 1885
Segregation of mesh-derived textures evaluated by resistance to added disorder 32: 1899
Orientation bandwidth: the effect of spatial and temporal frequency 32: 1965
Binocular integration of contrast information in amblyopia 32: 2135
"Weber's law" for position: the role of spatial frequency and contrast 32: 2235
Separation discrimination with embedded targets 32: 2295

SPATIAL VISION
Temporal properties of human visual filters: number, shapes and spatial covariation 32: 47

Temporal frequency filters in the human peripheral visual field 32: 61
A center-of-mass computation describes the precision of random dot displacement discrimination 32: 335
The effect of light adaptation on scotopic spatial summation in 10-week-old infants 32: 387
Spatial localization without visual references 32: 513
A comparison between colour and luminance contrast in a spatial linking task 32: 709
Effects of lateral masking and spatial precueing on gap-resolution in central and peripheral vision 32: 771
The effects of common movement and spatial separation on position- and motion-based judgments of relative movement 32: 1043
The spatial localization deficit in amblyopia 32: 1319
The two-dimensional shape of spatial interaction zones in the parafovea 32: 1349
Lateral interactions within color mechanisms in simultaneous induced contrast 32: 1695
The influence of eccentricity on position and movement acuities as revealed by spatial scaling 32: 1913
"Weber's law" for position: the role of spatial frequency and contrast 32: 2235
Separation discrimination with embedded targets 32: 2295

SPECTRAL SENSITIVITY
The relationship between cone pigments and behavioural sensitivity in a New World monkey (*Callithrix jacchus jacchus*) 32: 867
The ratio of L cones to M cones in the human parafoveal retina 32: 879
Spectral sensitivities for illusory contour perception: a manifold linkage of chromatic and achromatic cues with the generation of contours 32: 1709
Scotopic spectral sensitivity of phakic and aphakic observers extending into the near ultraviolet 32: 1739
Color mixing in the pigeon (*Columba livia*) II: a psychophysical determination in the middle, short and near-UV wavelength range 32: 1947
Red-green and yellow-blue opponent-color responses as a function of retinal eccentricity 32: 1955
Opponent-processing effects on the field spectral sensitivity of pattern-elicited electroretinograms 32: 2031
Vitamin A_2-based visual pigments in fully terrestrial vertebrates 32: 2201
The rod-cone shift and its effect on ganglion cells in the cat's retina 32: 2209
Thyroxine induces a precocial loss of ultraviolet photosensitivity in rainbow trout (*Oncorhynchus mykiss*, Teleostei) 32: 2303
Monochromatism determined at a long-wavelength/middle-wavelength cone-antagonistic locus 32: 2349

SPEED (*see* MOVEMENT PERCEPTION (SPEED SENSITIVITY))

SPHERICAL ABERRATION (*see* ABERRATION)

STABILIZED VISION
Dynamic noise backgrounds facilitate target fading 32: 1941

STEREOPSIS
Properties of cyclopean motion perception 32: 149
On binocular unmasking of signals in noise: further tests of the summation hypothesis 32: 375
Shape analysis and stereopsis for human depth perception 32: 499
The precision of size constancy 32: 1447
Depth discrimination of a line is improved by adding other nearby lines 32: 1667
Disparity tuning in mechanisms of human stereopsis 32: 1685
Visually induced cycloversion and cyclovergence 32: 1875
The effect of pupil size on chromostereopsis and chromatic diplopia: interaction between the Stiles-Crawford effect and chromatic aberrations 32: 2121
Orientation dependence in the recognition of familiar and novel views of three-dimensional objects 32: 2385

STILES-CRAWFORD EFFECT (*see* DIRECTIONAL SELECTIVITY)

STRABISMUS (*see also* AMBLYOPIA)
Control of interocular suppression as a function of differential image blur 32: 1169

SUMMATION, BINOCULAR
On binocular unmasking of signals in noise: further tests of the summation hypothesis 32: 375
Probability summation of acuity in the human infant 32: 1999
Binocular integration of contrast information in amblyopia 32: 2135

SUMMATION, PROBABILITY
Probability summation of acuity in the human infant 32: 1999

SUMMATION, SPATIAL
Temporal and spatial integration in dynamic random-dot stimuli 32: 2341

SUMMATION, TEMPORAL
Temporal and spatial integration in dynamic random-dot stimuli 32: 2341

SUPPRESSION (*see also* BINOCULAR RIVALRY)
Control of interocular suppression as a function of differential image blur 32: 1169

TECHNIQUES
Magnetic resonance microscopy of rabbit eyes 32: 37
The Laplacian of the scalp potential field: physical interpretation and practical utility 32: 257
The 2dim-Laplacian field is not suitable to localize sources of EEG activity 32: 261
A new superbright LED stimulator: photodiode-feedback design for linearizing and stabilizing emitted light 32: 953
Calibration of three-dimensional eye position using search coil signals in the rhesus monkey 32: 1647
Heterochromatic fusion nystagmus: its use in estimating chromatic equiluminance in humans and monkeys 32: 1745

TEMPORAL DISCRIMINATION
Two temporal channels or three? A re-evaluation 32: 285
Is the visual field temporally homogeneous? 32: 1075

TEMPORAL FREQUENCY
Evidence for two distinct nonlinear components in the human pattern ERG 32: 11
Temporal properties of human visual filters: number, shapes and spatial covariation 32: 47
Temporal frequency filters in the human peripheral visual field 32: 61
Directionally selective complex cells and the computation of motion energy in cat visual cortex 32: 203
The phase of PVEP in Maxwellian view: influence of contrast, spatial and temporal frequency 32: 591
Quantal noise and decision rules in dynamic models of light adaptation 32: 779
Responses of cat horizontal cells to sinusoidal gratings 32: 997
Infant temporal contrast sensitivity at low temporal frequencies 32: 1157
Temporal contrast sensitivity in human infants 32: 1163
The effects of ageing on the pattern electroretinogram and visual evoked potential in humans 32: 1199
Sawtooth contrast sensitivity: effects of mean illuminance and low temporal frequencies 32: 1239
Development of temporal properties of pattern electroretinogram and visual evoked potentials in infants 32: 1609
Orientation bandwidth: the effect of spatial and temporal frequency 32: 1965
Temporal frequency dependent adaptation at the level of the outer retina in humans 32: 2043

TEXTURE PERCEPTION
Texture segregation in the cat: a parametric study 32: 305
Electrophysiological correlates of texture segregation in the human visual evoked potential 32: 417
Nonlinear processes in spatial-frequency channel models of perceived texture segregation: effects of sign and amount of contrast 32: 719
"Effortless" texture segmentation and "parallel" visual search are *not* the same thing 32: 757
Texture segregation is processed by primary visual cortex in man and monkey. Evidence from VEP experiments 32: 797
The contributions of figure and ground textures to segmentation 32: 1793
Configural effects constrain Fourier models of pattern discrimination 32: 1885
Segregation of mesh-derived textures evaluated by resistance to added disorder 32: 1899
The role of saccades in the perception of texture patterns 32: 2151

THRESHOLD (*see* CONTRAST SENSITIVITY; DETECTION THRESHOLD; INCREMENT THRESHOLD)

TRITANOPIA (*see* DICHROMACY)

TROXLER EFFECT (*see* STABILIZED VISION)

VELOCITY (*see* MOVEMENT PERCEPTION (SPEED SENSITIVITY))

VERNIER ACUITY (*see* HYPERACUITY)

VISUAL DIRECTION
Head-centric visual localization with lateral body tilt 32: 669
Visual remapping in infantile nystagmus 32: 1115
Psychophysical and saccadic information about direction for briefly presented visual targets 32: 1729

WAVELENGTH DISCRIMINATION (*see* COLOR DISCRIMINATION)